Material Safety Data Sheet

Version 4.3 Revision Date 04/18/2011 Print Date 06/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ammonia solution

Product Number : 499145 Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Corrosive

Target Organs

Eyes, Kidney, Liver, Heart, Central nervous system, Lungs

GHS Classification

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 3)
Acute toxicity, Inhalation (Category 3)
Acute toxicity, Dermal (Category 3)
Skin corrosion (Category 1B)
Serious eye damage (Category 1)

Specific target organ toxicity - single exposure (Category 1)

Acute aquatic toxicity (Category 2) Chronic aquatic toxicity (Category 3)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
H301 + H311 Toxic if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H370 Causes damage to organs. H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Sigma-Aldrich - 499145

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eve protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 3
Chronic Health Hazard: *
Flammability: 3
Physical hazards: 0

NFPA Rating

Health hazard: 3
Fire: 3
Reactivity Hazard: 0

Potential Health Effects

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Skin Toxic if absorbed through skin. Causes skin burns.

Eyes Causes eye burns. **Ingestion** Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : H₃N

CAS-No.	EC-No.	Index-No.	Concentration				
Ammonia, anhydrous							
7664-41-7 231-635-3		007-001-00-5	11.92 %				
Methanol							
67-56-1	200-659-6	603-001-00-X	88.07 %				

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Sigma-Aldrich - 499145 Page 2 of 8

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis			
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)			
Remarks		Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption					
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption					
		TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
	Skin notation						
		STEL	250 ppm 325 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
	Skin notation						

Sigma-Aldrich - 499145 Page 3 of 8

		TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate.					
		TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Potential for dermal absorption					
		ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Potential for dermal absorption					
Ammonia, anhydrous	7664-41-7	TWA	25 ppm	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	Upper Respiratory Tract irritation Eye damage					
		STEL	35 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Upper Respiratory Tract irritation Eye damage					
		STEL	35 ppm 27 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		TWA	50 ppm 35 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate.					
		TWA	25 ppm 18 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Often used in an aqueous solution.					
		ST	35 ppm 27 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Often used in an aqueous solution.					

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Sigma-Aldrich - 499145 Page 4 of 8

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid, clear Colour colourless

Safety data

pH no data available

Melting no data available

point/freezing point

Boiling point no data available

Flash point 14 °C (57 °F) - closed cup

Ignition temperature no data available
Autoignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available

Density 0.779 g/mL at 25 °C (77 °F)

Water solubility no data available Partition coefficient: no data available

n-octanol/water

Relative vapour

density

no data available

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

no data available

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx) Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

no data available

Inhalation LC50 Dermal LD50

Other information on acute toxicity

Sigma-Aldrich - 499145 Page 5 of 8

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes

and upper respiratory tract.

Ingestion Toxic if swallowed.

Skin Toxic if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Signs and Symptoms of Exposure

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion., Drowsiness, Unconsciousness, May cause convulsions.

Synergistic effects

no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

Sigma-Aldrich - 499145 Page 6 of 8

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3286 Class: 3 (6.1, 8) Packing group: II Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s.

Reportable Quantity (RQ): 839 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 3286 Class: 3 (6.1, 8) Packing group: II EMS-No: F-E, S-C

Proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

Marine pollutant: No

IATA

UN number: 3286 Class: 3 (6.1, 8) Packing group: II Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s.

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Corrosive

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Ammonia, anhydrous CAS-No. Revision Date 2007-03-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

 Methanol
 CAS-No.
 Revision Date

 Methanol
 67-56-1
 2007-07-01

 Ammonia, anhydrous
 7664-41-7
 2007-03-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Sigma-Aldrich - 499145 Page 7 of 8

Massachusetts Right To Know Components

Methanol Ammonia, anhydrous	CAS-No. 67-56-1 7664-41-7	Revision Date 2007-07-01 2007-03-01
Pennsylvania Right To Know Components		
Methanol Ammonia, anhydrous	CAS-No. 67-56-1 7664-41-7	Revision Date 2007-07-01 2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Methanol	67-56-1	2007-07-01
Ammonia, anhydrous	7664-41-7	2007-03-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2011 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 499145 Page 8 of 8