SIGMA-ALDRICH

Material Safety Data Sheet

Version 4.2 Revision Date 03/31/2011 Print Date 08/31/2011

1. PRODUCT AND COMPANY IDENTIFICATION					
Product name	:	Di- <i>n</i> -butyl phthalate			
Product Number Brand	:	48559 Supelco			
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA			
Telephone	:	+1 800-325-5832			
Fax	:	+1 800-325-5052			
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555			
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956			

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards Teratogen

T

Target Organs

Eyes, Kidney, Liver, Lungs, Testes., Central nervous system

GHS Classification

Reproductive toxicity (Category 1B) Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H360 H410	May damage fertility or the unborn child. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s) P201 P273 P308 + P313 P501	Obtain special instructions before use. Avoid release to the environment. IF exposed or concerned: Get medical advice/ attention. Dispose of contents/ container to an approved waste disposal plant.
HMIS Classification Health hazard: Chronic Health Hazard: Flammability: Physical hazards:	1 * 1 0

NFPA Rating

Health hazard:	2
Fire:	1
Reactivity Hazard:	0

Potential Health Effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.
Ingestion	May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula	: C ₁₆ H ₂₂ O ₄ C ₁₆ H ₂₂ O ₄
Molecular Weight	: 278.34 g/mol
Synonyms	: <i>n</i> -Butyl phthalate Phthalic acid dibutyl ester Dibutyl phthalate DBP

201-557-4	607-318-00-4	-
2	01-557-4	01-557-4 607-318-00-4

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Dibutyl phthalate	84-74-2	TWA	5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper	Respirato	ry Tract irritation T	esticular damage
		TWA	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m3	USA. NIOSH Recommended Exposure Limits

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	liquid, clear
Colour	colourless
Safety data	
рН	no data available

Melting point/freezing point Melting point/range: -35 °C (-31 °F) - lit.

Boiling point	340 °C (644 °F) - lit.
Flash point	171.0 °C (339.8 °F) - closed cup
Ignition temperature	402 °C (756 °F)
Autoignition temperature	402.0 °C (755.6 °F)
Lower explosion limit	0.47 %(V)
Upper explosion limit	
Vapour pressure	1.3 hPa (1.0 mmHg) at 147.0 °C (296.6 °F)
Density	1.043 g/cm3 at 25 °C (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapour density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions no data available

Conditions to avoid no data available

Materials to avoid Strong oxidizing agents, Nitrates, Bases, acids, Chlorine

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 LD50 Oral - rat - 8,000 mg/kg

Inhalation LC50 LC50 Inhalation - rat - 4,250 mg/m3

Dermal LD50 LD50 Dermal - rabbit - > 20,860 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

no dala avaliable

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization no data available

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Teratogenicity

Presumed human reproductive toxicant

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard

no data available

Potential health effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Ingestion	May be harmful if swallowed.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.

Signs and Symptoms of Exposure

Nausea, Dizziness, Headache, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: TI0875000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 0.85 mg/l - 96.0 h
	NOEC - Pimephales promelas (fathead minnow) - 0.32 mg/l - 96.0 h
Toxicity to daphnia and other aquatic invertebrates.	LC50 - Daphnia magna (Water flea) - 3.7 mg/l - 48 h

Persistence and degradability

no data available

Bioaccumulative potential

Bioaccumulation

Pimephales promelas (fathead minnow) - 11 d Bioconcentration factor (BCF): 2,165

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

no data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3082 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substances, liquid, n.o.s. (Dibutyl phthalate) Reportable Quantity (RQ): 10 lbs Marine pollutant: Poison Inhalation Hazard: No

IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dibutyl phthalate) Marine pollutant: Marine pollutant

IATA

UN number: 3082 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Dibutyl phthalate)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

OSHA Hazards

Teratogen

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

	CAS-No.	Revision Date
Dibutyl phthalate	84-74-2	2007-07-01

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

Dibutyl phthalate	CAS-No. 84-74-2	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Dibutyl phthalate	84-74-2	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Dibutyl phthalate	84-74-2	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the State of	CAS-No.	Revision Date
California to cause birth defects or other reproductive harm. Dibutyl phthalate	84-74-2	2008-06-17

16. OTHER INFORMATION

Further information

Copyright 2011 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.