SIGMA-ALDRICH

Material Safety Data Sheet

Version 3.0 Revision Date 08/23/2008 Print Date 05/18/2011

	IY IDENTIFICATION			
Product name	: 1-Chlorohexane			
Product Number	: 238465			
Brand	: Aldrich			
Company	: Sigma-Aldrich			
	3050 Spruce Street SAINT LOUIS MO 6	3103		
	USA			
Telephone	: +1 800-325-5832			
Fax Emergency Phone #	: +1 800-325-5052 : (314) 776-6555			
OMPOSITION/INFORMA	TION ON INGREDIENTS			
Formula	: C6H13CI			
Molecular Weight	: 120.62 g/mol			
CAS-No.	EC-No.	Index-No.	Concentration	
1-Chlorohexane				
544-10-5	208-859-5	-	-	
AZARDS IDENTIFICATION	ON			
AZARDS IDENTIFICATIOn Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating	ON 0 3 0			
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard:	0 3 0 0			
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard: Fire:	0 3 0 0 3			
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard:	0 3 0 0 3 0			
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard: Fire: Reactivity Hazard:	0 3 0 0 3 0	Λay cause respiratory t	ract irritation.	
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard: Fire: Reactivity Hazard: Potential Health Effects Inhalation Skin	0 3 0 0 3 0 May be harmful if inhaled. M May be harmful if absorbed			
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard: Fire: Reactivity Hazard: Potential Health Effects Inhalation Skin Eyes	0 3 0 0 3 0 May be harmful if inhaled. M May be harmful if absorbed May cause eye irritation.	through skin. May cau		
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard: Fire: Reactivity Hazard: Fire: Neactivity Hazard: Potential Health Effects Inhalation Skin Eyes Ingestion	0 3 0 0 3 0 May be harmful if inhaled. M May be harmful if absorbed	through skin. May cau		
Emergency Overview OSHA Hazards Flammable Liquid HMIS Classification Health Hazard: Flammability: Physical hazards: NFPA Rating Health Hazard: Fire: Reactivity Hazard: Potential Health Effects Inhalation Skin Eyes	0 3 0 0 3 0 May be harmful if inhaled. M May be harmful if absorbed May cause eye irritation. May be harmful if swallowed	through skin. May cau		

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 27 °C (81 °F) - closed cup

Ignition temperature 225 °C (437 °F)

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Do not let product enter drains.

Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Storage

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

For prolonged or repeated contact use protective gloves.

Eye protection

Safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	clear, liquid
Colour	colourless
Safety data	
рН	no data available
Melting point	94 °C (201 °F)
Boiling point	133 - 134 °C (271 - 273 °F)
Flash point	27 °C (81 °F) - closed cup
Ignition temperature	225 °C (437 °F)
Lower explosion limit	1 %(V)
Upper explosion limit	9.6 %(V)
Vapour pressure	44 hPa (33 mmHg) at 36 °C (97 °F)
Density	0.879 g/mL at 25 °C (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	log Pow: 3.58

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Strong oxidizing agents, Strong bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas

Hazardous reactions

Vapours may form explosive mixture with air.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 7,000 mg/kg

Irritation and corrosion

Skin - rabbit - Mild skin irritation

Eyes - rabbit - No eye irritation

Sensitisation

no data available

Chronic exposure

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Signs and Symptoms of Exposure

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Potential Health Effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.
Ingestion	May be harmful if swallowed.

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

no data available

Ecotoxicity effects

Toxicity to fish

LC50 - Leuciscus idus (Golden orfe) - 27.4 mg/l - 48 h

Further information on ecology

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 1993 Class: 3 Packing group: III Proper shipping name: Flammable liquids, n.o.s. (1-Chlorohexane) Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN-Number: 1993 Class: 3 Packing group: III EMS-No: F-E, S-E Proper shipping name: FLAMMABLE LIQUID, N.O.S. (1-Chlorohexane) Marine pollutant: Marine pollutant

ΙΑΤΑ

UN-Number: 1993 Class: 3 Packing group: III Proper shipping name: Flammable liquid n.o.s. (1-Chlorohexane)

15. REGULATORY INFORMATION

OSHA Hazards

Flammable Liquid

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
1-Chlorohexane	544-10-5	1991-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
1-Chlorohexane	544-10-5	1991-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
1-Chlorohexane	544-10-5	1991-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Further information

Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.