Material Safety Data Sheet

Version 4.0 Revision Date 03/14/2010 Print Date 03/08/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cyclohexanone

Product Number : C102180 Brand : Sigma-Aldrich

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +18003255832 Fax : +18003255052 Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Combustible Liquid, Target Organ Effect, Harmful by ingestion., Irritant

Target Organs

Liver, Kidney, Central nervous system, Lungs

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Precautionary statement(s)

P280 Wear protective gloves/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical hazards: 0

NFPA Rating

Health hazard: 2 Fire: 2 Reactivity Hazard: 0

Potential Health Effects

InhalationSkinMay be harmful if inhaled. Causes respiratory tract irritation.May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation. **Ingestion** Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C₆H₁₀O Molecular Weight : 98.14 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Cyclohexanone			
108-94-1	203-631-1	606-010-00-7	-

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

Sigma-Aldrich - C102180 Page 2 of 6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis		
Cyclohexanone	108-94-1	TWA	20 ppm	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	humans: The administration worker exposed humans:	Eye & Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is lilkely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. Danger of cutaneous					
		STEL	50 ppm	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)		
	Eye & Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is lilkely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. Danger of cutaneous absorption						
		TWA	25 ppm 100 mg/m3	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
	Skin notation						
		TWA	50 ppm 200 mg/m3	1997-08-04	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate.						

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form clear, liquid
Colour colourless

Sigma-Aldrich - C102180 Page 3 of 6

Safety data

pH no data available

Melting point -47 °C (-53 °F) - lit.

Boiling point 155 °C (311 °F) - lit.

Flash point 44 °C (111 °F) - closed cup

Ignition temperature 420 °C (788 °F)

Lower explosion limit 1.1 %(V) Upper explosion limit 9.4 %(V)

Vapour pressure 4.5 hPa (3.4 mmHg) at 20 °C (68 °F)

13 hPa (10 mmHg) at 38.7 °C (101.7 °F)

Density 0.947 g/cm3 at 25 °C (77 °F)

Water solubility ca.50 g/l
Partition coefficient: log Pow: 0.81

n-octanol/water

Relative vapour 3.39

density - (Air = 1.0)

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Oxidizing agents, Plastics

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - mouse - 1,400 mg/kg

Skin corrosion/irritation

Skin - rabbit - Open irritation test

Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation - 24 h

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Cyclohexanone)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or Sigma-Aldrich - C102180 Page 4 of 6

anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure (GHS)

no data available

Specific target organ toxicity - repeated exposure (GHS)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Signs and Symptoms of Exposure

Prolonged or repeated exposure to skin causes defatting and dermatitis., Cough, Shortness of breath, Headache, Nausea, Vomiting, Central nervous system depression, Incoordination., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: GW1050000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 820 mg/l - 24 h

and other aquatic invertebrates.

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

Sigma-Aldrich - C102180 Page 5 of 6

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 1915 Class: 3 Packing group: III

Proper shipping name: Cyclohexanone Reportable Quantity (RQ): 5000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN-Number: 1915 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: CYCLOHEXANONE

Marine pollutant: No

IATA

UN-Number: 1915 Class: 3 Packing group: III

Proper shipping name: Cyclohexanone

15. REGULATORY INFORMATION

OSHA Hazards

Combustible Liquid, Target Organ Effect, Harmful by ingestion., Irritant

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CAS-No.

Revision Date

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	O/ 10 110.	1 to violoti Dato
Cyclohexanone	108-94-1	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Cyclohexanone	108-94-1	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Cyclohexanone	108-94-1	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - C102180 Page 6 of 6