SIGMA-ALDRICH

Material Safety Data Sheet

Version 4.0 Revision Date 03/13/2010 Print Date 10/22/2010

1. PRODUCT AND COMPANY IDENTIFICATION			
Product name	: 3,4-Dichloro-1-butene		
Product Number Brand	: 159301 : Aldrich		
Company	: Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA		
Telephone Fax Emergency Phone #	: +18003255832 : +18003255052 : (314) 776-6555		

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Harmful by ingestion., Corrosive

Other hazards which do not result in classification Lachrymator.

GHS Label elements, including precautionary statements

Pictogram



	Signal word	Danger
	Hazard statement(s) H226 H302 + H332 H314 H401	Flammable liquid and vapour. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. Toxic to aquatic life.
	Precautionary statement(s) P280 P305 + P351 + P338 P310	Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
нм	IS Classification Health hazard: Flammability: Physical hazards:	3 3 0
NFI	PA Rating Health hazard: Fire: Reactivity Hazard:	3 3 0
Pot	ential Health Effects	
	Inhalation Skin	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if absorbed through skin. Causes skin burns.

Eyes	Causes eye burns.
Ingestion	Harmful if swallowed. Causes burns.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula	:	C ₄ H ₆ Cl ₂
Molecular Weight	:	125.00 g/mol

CAS-No.	EC-No.	Index-No.	Concentration	
3,4-Dichloro-1-butene				
760-23-6	212-079-0	-	-	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

Recommended storage temperature: 2 - 8 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum).

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	liquid
Colour	light yellow
Safety data	
рН	no data available
Melting point	-61 °C (-78 °F) - lit.
Boiling point	123 °C (253 °F) - lit.
Flash point	28 °C (82 °F) - closed cup
Ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	23 hPa (17 mmHg) at 25 °C (77 °F)
Density	1.15 g/cm3 at 25 °C (77 °F)
Water solubility	no data available
Relative vapour density	4.31 - (Air = 1.0)

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Strong oxidizing agentsStrong oxidizing agents, Strong bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - mouse - 724 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Excitement. Lungs, Thorax, or Respiration:Dyspnea.

LC50 Inhalation - rat - 4 h - 2100 ppm

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia. Lungs, Thorax, or Respiration:Dyspnea.

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure (GHS) no data available

Specific target organ toxicity - repeated exposure (GHS) no data available

Aspiration hazard

Potential health effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous
	membranes and upper respiratory tract.
Ingestion	Harmful if swallowed. Causes burns.
Skin	May be harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 7.17 mg/l - 96 h

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 2920 Class: 8 (3) Packing group: II Proper shipping name: Corrosive liquids, flammable, n.o.s. (3,4-Dichloro-1-butene) Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN-Number: 2920 Class: 8 (3) Packing group: II EMS-No: F-E, S-C Proper shipping name: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (3,4-Dichloro-1-butene) Marine pollutant: No

ΙΑΤΑ

UN-Number: 2920 Class: 8 (3) Packing group: II Proper shipping name: Corrosive liquid, flammable, n.o.s. (3,4-Dichloro-1-butene)

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Harmful by ingestion., Corrosive

DSL Status

This product contains the following components listed on the Canadian NDSL list. All other components are on the Canadian DSL list.

CAS-No. 760-23-6

3,4-Dichloro-1-butene

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components	CAS-No.	Revision Date
3,4-Dichloro-1-butene	760-23-6	2007-03-01
New Jersey Right To Know Components		
3,4-Dichloro-1-butene	CAS-No. 760-23-6	Revision Date 2007-03-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.