

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diethylamine

Product Number : 471216

Brand : Sigma-Aldrich

Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA

Telephone : +1 800-325-5832

Fax : +1 800-325-5052

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Harmful by ingestion., Toxic by skin absorption, Skin and respiratory sensitizer, Corrosive

GHS Label elements, including precautionary statements

Pictogram



Signal word : Danger

Hazard statement(s)

H225 : Highly flammable liquid and vapour.

H302 + H332 : Harmful if swallowed or if inhaled.

H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H402 : Harmful to aquatic life.

Precautionary statement(s)

P210 : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 : Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 : Wear protective gloves.

P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 : Immediately call a POISON CENTER or doctor/physician.

HMIS Classification

Health hazard: 3

Chronic Health Hazard: *

Flammability: 3

Physical hazards: 0

NFPA Rating

Health hazard: 3

Fire: 3

Reactivity Hazard: 0

Potential Health Effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin	Toxic if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.
Ingestion	Harmful if swallowed. Causes burns.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C₄H₁₁N
Molecular Weight : 73.14 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Diethylamine			
109-89-7	203-716-3	612-003-00-X	-

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Flash back possible over considerable distance. Container explosion may occur under fire conditions. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
Diethylamine	109-89-7	TWA	5 ppm	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper Respiratory Tract irritation Not classifiable as a human carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories. Danger of cutaneous absorption				
		STEL	15 ppm	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)
	Eye & Upper Respiratory Tract irritation Not classifiable as a human carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories. Danger of cutaneous absorption				
		TWA	10 ppm 30 mg/m3	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	25 ppm 75 mg/m3	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	25 ppm 75 mg/m3	1997-08-04	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	The value in mg/m3 is approximate.				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum).

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Safety data

pH 13 at 100 g/l at 20 °C (68 °F)
Melting point -50 °C (-58 °F)
Boiling point 55 °C (131 °F)
Flash point -23 °C (-9 °F) - closed cup
Ignition temperature 312 °C (594 °F)
Lower explosion limit 1.8 %(V)
Upper explosion limit 10.1 %(V)
Vapour pressure 241.936 hPa (181.467 mmHg) at 20 °C (68 °F)
974.637 hPa (731.038 mmHg) at 55 °C (131 °F)
Density 0.707 g/mL at 25 °C (77 °F)
Water solubility soluble
Partition coefficient: log Pow: 0.58
n-octanol/water
Relative vapour density 2.53
- (Air = 1.0)

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Aldehydes, Alcohols, Dicyanofurazan, Ketones, phenols, Acids, Halogenated hydrocarbon, Oxidizing agents, Epoxides

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 540 mg/kg

LC50 Inhalation - rat - 4 h - 4000 ppm

LD50 Dermal - rabbit - 577 mg/kg

Skin corrosion/irritation

Skin - rabbit - Severe skin irritation

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

May cause allergic respiratory and skin reactions

Germ cell mutagenicity

no data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure (GHS)

no data available

Specific target organ toxicity - repeated exposure (GHS)

no data available

Aspiration hazard

no data available

Potential health effects

- | | |
|-------------------|---|
| Inhalation | May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. |
| Ingestion | Harmful if swallowed. Causes burns. |
| Skin | Toxic if absorbed through skin. Causes skin burns. |
| Eyes | Causes eye burns. |

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Lachrymation

Additional Information

RTECS: HZ8750000

12. ECOLOGICAL INFORMATION

Toxicity

- | | |
|--|---|
| Toxicity to fish | LC50 - Oncorhynchus mykiss (rainbow trout) - 25 - 198 mg/l - 96 h |
| | LC50 - Oncorhynchus mykiss (rainbow trout) - 25 - 198 mg/l - 96 h |
| Toxicity to daphnia and other aquatic invertebrates. | EC50 - Daphnia magna (Water flea) - 56 mg/l - 48 h |
| | EC50 - Daphnia magna (Water flea) - 56 mg/l - 48 h |
| Toxicity to algae | EC50 - Algae - 20 mg/l - 96 h |
| | EC50 - Pseudokirchneriella subcapitata (green algae) - 20 mg/l - 96 h |
| Toxicity to bacteria | - Bacteria - 47 mg/l - 17 h |

Persistence and degradability

- | | |
|------------------|---------------------------------------|
| Biodegradability | Biotic/Aerobic |
| | Result: 75 % - Readily biodegradable. |

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

Do not empty into drains.

13. DISPOSAL CONSIDERATIONS**Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION**DOT (US)**

UN-Number: 1154 Class: 3 (8) Packing group: II
 Proper shipping name: Diethylamine
 Reportable Quantity (RQ): 100 lbs
 Marine pollutant: No
 Poison Inhalation Hazard: No

IMDG

UN-Number: 1154 Class: 3 (8) Packing group: II EMS-No: F-E, S-C
 Proper shipping name: DIETHYLAMINE
 Marine pollutant: No

IATA

UN-Number: 1154 Class: 3 (8) Packing group: II
 Proper shipping name: Diethylamine

15. REGULATORY INFORMATION**OSHA Hazards**

Flammable liquid, Harmful by ingestion., Toxic by skin absorption, Skin and respiratory sensitizer, Corrosive

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

Diethylamine	CAS-No. 109-89-7	Revision Date 2007-03-01
--------------	---------------------	-----------------------------

Pennsylvania Right To Know Components

Diethylamine	CAS-No. 109-89-7	Revision Date 2007-03-01
--------------	---------------------	-----------------------------

New Jersey Right To Know Components

Diethylamine	CAS-No. 109-89-7	Revision Date 2007-03-01
--------------	---------------------	-----------------------------

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION**Further information**

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.
