MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Material name	HYDROBROMIC ACID
Version #	02
Revision date	08-29-2011
CAS#	Mixture
Product Codes	J.T.Baker: 0160, 4801
Synonym(s)	Hydrogen Bromide Solution
Manufacturer	Avantor Performance Materials, Inc.
Address	3477 Corporate Parkway
	Suite #200
	Center Valley, PA 18034
	US
Customer Service	855-282-6867
24 Hour Emergency	908-859-2151
Chemtrec	800-424-9300
2. Hazards Identification	
Emergency overview	DANGER
	Corrosive. Harmful if inhaled. Causes severe skin and eye burns. Causes digestive tract burns. Mist or vapor extremely irritating to eyes and respiratory tract.
OSHA regulatory status	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential health effects	
Routes of exposure	Ingestion. Inhalation. Skin contact. Eye contact.
Eyes	Corrosive. Causes severe eye burns. Vapor or spray may cause eye damage, impaired sight or blindness.
Skin	Corrosive. Causes severe skin burns.
Inhalation	Corrosive. Harmful if inhaled. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	Corrosive. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.
Target organs	Eyes. Skin. Lungs. Respiratory system.
Chronic effects	Corrosive. Prolonged contact causes serious tissue damage.
Potential environmental effects	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
HYDROGEN BROMIDE	10035-10-6	40 - 60
Non-hazardous components	CAS #	Percent
WATER	7732-18-5	40 - 60

4. First Aid Measures

First aid procedures

Eye contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.

Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.
Inhalation	Move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Notes to physician	Keep victim under observation. Treat symptomatically.
General advice	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flammable properties	The product is not flammable. No unusual fire or explosion hazards noted.	
Extinguishing media	Line outing uiching managuras that are appropriate to local size upstances and the surrounding	
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	None known.	
Protection of firefighters		
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.	
Protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.	
Specific methods	In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers.	

6. Accidental Release Measures

Personal precautions	Wear appropriate protective equipment and clothing during clean-up. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses o onto the ground.	
Methods for containment	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.	
Methods for cleaning up	Large Spills: Dike far ahead of spill for later disposal. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills in original containers for re-use. Clean up in accordance with all applicable regulations. Neutralize spill area and washings with soda ash or lime. Collect in a non-combustible container for prompt disposal.	
	J. T. Baker NEUTRASORB® acid neutralizers are recommended for spills of this product.	
7. Handling and Storage		
Handling	Wear appropriate personal protective equipment. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Do not eat, drink or smoke when using the product. Wash thoroughly after handling. Use only with adequate ventilation. Use caution when combining with water; DO NOT add water to acid, ALWAYS add acid to water while stirring to prevent release of heat, steam and fumes.	
Storage	Do not store in metal containers. Keep tightly closed in a dry, cool and well-ventilated place.	

8. Exposure Controls / Personal Protection

ACGIH			
Components		Туре	Value
HYDROGEN BROMIDE (10035	5-10-6)	Ceiling	2.0000 ppm
Occupational exposure limits			
U.S OSHA			
Components		Туре	Value
HYDROGEN BROMIDE (1	0035-10-6)	PEL	3.0000 ppm 10.0000 mg/m3
Engineering controls	should be matche or other engineeri	ed to conditions. If applicating controls to maintain a	hanges per hour) should be used. Ventilation rates able, use process enclosures, local exhaust ventilatior irborne levels below recommended exposure limits. If , maintain airborne levels to an acceptable level.
Personal protective equipment			
Eye / face protection	Wear chemical goggles and face shield.		
Skin protection	Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with acid gas cartridge.		
General hygeine considerations	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
General	Wear chemical protective equipment that is specifically recommended by the manufacturer. Launder contaminated clothing before reuse.		

3. r hysical & Chemical Froperties		
Appearance	Liquid.	
Color	Colorless to yellowish.	
Odor	Pungent.	
Odor threshold	Not available.	
Physical state	Liquid.	
Form	Liquid.	
рН	Not available.	
Melting point	12.2 °F (-11 °C)	
Freezing point	12.2 °F (-11 °C)	
Boiling point	251.6 °F (122 °C)	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability limits in air, upper, % by volume	Not available.	
Flammability limits in air, lower, % by volume	Not available.	
Vapor density	2.8	
Specific gravity	1.5	
Relative density	Not available.	
Solubility (water)	Soluble	

9. Physical & Chemical Properties

Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not mix with other chemicals. Unsuitable containers: metals.
Incompatible materials	Strong oxidizing agents. Fluorine. Ammonia. Caustics. Alkalies. Metals.
Hazardous decomposition products	Hydrogen bromide. May decompose upon heating to produce corrosive and/or toxic fumes.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Toxicological data Components	Test Results		
HYDROGEN BROMIDE (10035	5-10-6) Acute Inhalation LC50 Mouse: 814 mg/l 1.00 Hours		
	Acute Inhalation LC50 Rat: 2858 mg/l 1.00 Hours		
Sensitization	Not a skin sensitizer.		
Acute effects	Harmful if inhaled.		
Local effects	Causes severe burns. Mist or vapor extremely irritating to eyes and respiratory tract.		
Chronic effects	Corrosive. Prolonged contact causes serious tissue damage.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
Skin corrosion/irritation	Corrosive to skin and eyes.		
Epidemiology	No epidemiological data is available for this product.		
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Neurological effects	No data available for this product.		
Reproductive effects	Contains no ingredient listed as toxic to reproduction		
Teratogenicity	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.		
Symptoms and target organs	Corrosive effects.		
Further information	Danger of very serious irreversible effects. Symptoms may be delayed.		
12. Ecological Information	n		
Ecotoxicity	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.		
Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.		
Persistence and degradability	Expected to be readily biodegradable.		
Partition coefficient (n-octanol/water)	Not available		
13. Disposal Consideration	ons		
Waste codes	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]		
Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. All wastes must be handled in accordance with local, state and federal regulations.		

Since emptied containers retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport Information

DOT		
Basic shipping requirements:		
UN number	UN1788	
Proper shipping name	Hydrobromic acid	
Hazard class	8	
Packing group	II	
Additional information:		
Special provisions	B2, B15, IB2, N41, T7, TP2	
Basic shipping requirements:		
Labels required	8	
Additional information:		
Packaging exceptions	154	
Packaging non bulk	202	
Packaging bulk	242	
ERG number	154	
ΙΑΤΑ		
Basic shipping requirements:		
UN number	1788	
Proper shipping name	Hydrobromic acid	
Hazard class	8	
Packing group	II	
Additional information:		
ERG code	8L	
IMDG		
Basic shipping requirements:		
UN number	1788	
Proper shipping name	HYDROBROMIC ACID	
Hazard class	8	
Packing group		
\land		\wedge
CORROSIVE		
CURRUSIVE		
8	8	8
\checkmark	\vee	\vee
DOT	ΙΑΤΑ	IMDG
15. Regulatory Information		

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

CERCLA (Superfund) reportable quantity

None

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
Section 311 hazardous chemical	Yes	
ventory status		
Country(s) or region Australia	Inventory name Australian Inventory of Chemical Substances (AICS)	On inventory (yes/no) ⁴ Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by	the governing country(s)
ate regulations	This product does not contain a chemical known to the State of Ca defects or other reproductive harm.	lifornia to cause cancer, birth
US - Pennsylvania RTK - Haz	ardous Substances: Listed substance	
HYDROGEN BROMIDE	(CAS 10035-10-6) Listed.	
af-T-Data	Health: 3 - Severe Flammability: 0 - None Reactivity: 1 - Slight Contact: 4 - Extreme (Corrosive) Lab Protective Equip: D - GOGGLES & SHIELD; LAB COAT & AP GLOVES Storage Color Code: W - White (Corrosive)	RON; VENT HOOD; PROPER
6. Labeling Info		
abel Hazard Warning	DANGER	
	Corrosive. Harmful if inhaled. Causes severe skin and eye burns. Mist or vapor extremely irritating to eyes and respiratory tract.	Causes digestive tract burns.
abel Precautions	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling. Keep container closed.	
abel First Aid	Immediately flush eyes with plenty of water for at least 15 minutes. plenty of water. If gas/fume/vapor/dust/mist from the material is inh person immediately to fresh air. Get medical attention immediately Immediately call a POISON CENTER or doctor/physician. Do not i from poison control center. If vomiting occurs, keep head low so the into the lungs. Do not use mouth-to-mouth method if victim ingester	aled, remove the affected . IF SWALLOWED: nduce vomiting without advice at stomach content doesn't get
7. Other Information		
FPA ratings	Health: 3 Flammability: 0	

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING. COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT. AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY. AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR. LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.

Issue date

08-29-2011