

ACROS ORGANICS

Material Safety Data Sheet

Creation Date 22-Jun-2010

Revision Date 22-Jun-2010

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Lead(II) acetate trihydrate	
Cat No.	AC423840000; AC423840025; AC423840250; AC423841000; AC423845000	
Synonyms	Acetic acid, lead salt trihydrate	
Recommended Use	Laboratory chemicals	
Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410	Emergency Telephone Number For information in the US, call: 800-ACROS-01 For information in Europe, call: +32 14 57 52 11 Emergency Number, Europe: +32 14 57 52 99 Emergency Number, US: 201-796-7100 CHEMTREC Phone Number, US: 800-424-9300 CHEMTREC Phone Number, Europe: 703-527-3887

2. HAZARDS IDENTIFICATION

WARNING!

Emergency Overview

Contains a known or suspected carcinogen. May cause central nervous system effects. May cause skin, eye, and respiratory tract irritation. May cause harm to the unborn child. Possible risk of impaired fertility. Danger of cumulative effects. Danger of serious damage to health by prolonged exposure. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Appearance White

Physical State Solid

odor vinegar-like

Target Organs

Central nervous system (CNS), Kidney, Blood, Liver, Reproductive System

Potential Health Effects**Acute Effects****Principle Routes of Exposure****Eyes**

May cause irritation.

Skin

May cause irritation. May be harmful in contact with skin.

Inhalation

May cause irritation of respiratory tract. May be harmful if inhaled.

Ingestion

May be harmful if swallowed. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Effects

Contains a known or suspected carcinogen. May cause harm to the unborn child. Possible risk of impaired fertility. Tumorigenic effects have been reported in experimental animals.. Danger of cumulative effects. Danger of serious damage to health by prolonged exposure. May cause adverse liver effects. May cause adverse kidney effects.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Haz/Non-haz**

Component	CAS-No	Weight %
Lead (II) acetate, trihydrate	6080-56-4	>95
Lead acetate	301-04-2	-

4. FIRST AID MEASURES**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Obtain medical attention.

Ingestion

Do not induce vomiting. Call a physician or Poison Control Center immediately.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Flash Point**

No information available.

Method

No information available.

Autoignition Temperature

No information available.

Explosion Limits**Upper**

No data available

Lower

No data available

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media	No information available.
Hazardous Combustion Products	No information available.
Sensitivity to mechanical impact	No information available.
Sensitivity to static discharge	No information available.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA **Health** 2 **Flammability** 0 **Instability** 0 **Physical hazards** N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.
Environmental Precautions	Should not be released into the environment.
Methods for Containment and Clean Up	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

7. HANDLING AND STORAGE

Handling	Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Do not breathe vapors/dust. Do not ingest.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
-----------------------	-------

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White
odor	vinegar-like
Odor Threshold	No information available.
pH	5.5-6.5 5% aq.solution
Vapor Pressure	No information available.
Vapor Density	13.1
Viscosity	No information available.
Boiling Point/Range	No information available.
Melting Point/Range	75°C / 167°F
Decomposition temperature	> 100°C
Flash Point	No information available.
Evaporation Rate	No information available.
Specific Gravity	No information available.
Solubility	No information available.
log Pow	No data available
Molecular Weight	379.33
Molecular Formula	C4 H6 O4 Pb . 3 H2 O

10. STABILITY AND REACTIVITY

Stability	Sensitive to air.
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to air.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂), lead oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions .	None under normal processing..

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lead (II) acetate, trihydrate	4665 mg/kg (Rat)	Not listed	Not listed

Irritation No information available.

Toxicologically Synergistic Products No information available.

Chronic Toxicity

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Mexico
Lead acetate	Not listed	group 3	Not listed	Not listed	Not listed

Sensitization	No information available.
Mutagenic Effects	No information available.
Reproductive Effects	Possible risk of impaired fertility.
Developmental Effects	May cause harm to the unborn child.
Teratogenicity	May cause harm to the unborn child.
Other Adverse Effects	Tumorigenic effects have been reported in experimental animals.. See actual entry in RTECS for complete information.
Endocrine Disruptor Information	No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Do not empty into drains. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and Degradability	No information available
Bioaccumulation/ Accumulation	No information available
Mobility	No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Lead acetate - 301-04-2	U144	-

14. TRANSPORT INFORMATION

DOT

UN-No	UN1616
Proper Shipping Name	LEAD ACETATE
Hazard Class	6.1
Packing Group	III

TDG

14. TRANSPORT INFORMATION

UN-No UN1616
 Proper Shipping Name LEAD ACETATE
 Hazard Class 6.1
 Packing Group III

IATA

UN-No 1616
 Proper Shipping Name LEAD ACETATE
 Hazard Class 6.1
 Packing Group III

IMDG/IMO

UN-No 1616
 Proper Shipping Name LEAD ACETATE
 Hazard Class 6.1
 Packing Group III

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Lead (II) acetate, trihydrate	-	-	-	-	-		X	X	X	X	-
Lead acetate	X	X	-	206-104-4	-		X	X	X	X	KE-21888 X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Lead acetate	X	-	-	-

Clean Air Act

Not applicable

OSHA

Not applicable

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Lead acetate	10 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Lead acetate	301-04-2	Carcinogen	23 µg/day

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Lead acetate	X	X	X	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations**Mexico - Grade** No information available**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D1B Toxic materials
D2A Very toxic materials



16. OTHER INFORMATION

Prepared By Regulatory Affairs
Thermo Fisher Scientific
Tel: (412) 490-8929

Creation Date 22-Jun-2010

Print Date 22-Jun-2010

Revision Summary "****", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS