Page 1/7

 $\leq 2.5\%$

50-100%

<1%

Printing date 11/06/2010

Review date 11/06/2010

1 Identification of the substance/mixture and of the company/undertaking

· Product details

- · Trade name: MAGNESIUM 1000 PPM A/S STANDARD (100 ML)
- Article number N9300179
- $\cdot \textit{Application of the substance / the preparation} \ Laboratory \ chemicals$
- Manufacturer/Supplier: PerkinElmer Life and Analytical Sciences
 710 Bridgeport Avenue Shelton, Connecticut 06484 USA
 Emergency information: CHEMTREC (within U.S.) 800 424-9300 CHEMTREC (from outside U.S.) 1(703)-572-3887

2 Composition/information on ingredients

• Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:

7697-37-2 nitric acid

· Additional Components

7732-18-5 Water

1309-48-4 magnesium oxide

3 Hazards identification

· Classification of the substance or mixture

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC
 - 🔀 Irritant
- Irritating to eyes and skin.
- · Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of international guidelines.
- · Classification system:
- The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- · Label elements
- · Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals. The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:



Irritant

• **Risk phrases:** Irritating to eyes and skin.

• Safety phrases:

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Do not empty into drains.

(Contd. on page 2)

⁻ USA




Printing date 11/06/2010

Review date 11/06/2010

Trade name: MAGNESIUM 1000 PPM A/S STANDARD (100 ML)

(Contd. of page 1)



HMIS-ratings (scale 0 - 4)



4 First aid measures

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • **Protective equipment:** No special measures required.

6 Accidental release measures

- Person-related safety precautions: Not required.
- \cdot Measures for environmental protection:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. • Measures for cleaning/collecting:

Dispose of the collected material according to regulations. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

7 Handling and storage

· Handling:

· Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 3)

USA

Printing date 11/06/2010

PerkinElmer

For the Better

Review date 11/06/2010

Trade name: MAGNESIUM 1000 PPM A/S STANDARD (100 ML)

(Contd. of page 2)

• Further information about storage conditions: Keep receptacle tightly sealed.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

• Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

- Long-term value: 5 mg/m³, 2 ppm
- *TLV* Short-term value: 10 mg/m³, 4 ppm
 - Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles or safety glasses

9 Physical and chemical properties

- · General Information
- · Appearance:
- Form:

Liquid

(Contd. on page 4)

USA



Printing date 11/06/2010

Review date 11/06/2010

Trade name: MAGNESIUM 1000 PPM A/S STANDARD (100 ML)

		(Contd. of page 3
Color:	Colorless	
· Odor:	Odorless	
· Change in condition		
Melting point/Melting range:	$0^{\circ}C(32^{\circ}F)$	
Boiling point/Boiling range:	100°C (212°F)	
· Flash point:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Vapor pressure at $20^{\circ}C$ (68°F):	23 hPa (17 mm Hg)	
• Density at 20°C (68°F):	1 g/cm ³ (8.345 lbs/gal)	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	97.9 %	
Solids content:	0.1 %	

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• Materials to be avoided:

· Dangerous reactions No dangerous reactions known.

· Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

12 Ecological information

- \cdot Additional ecological information:
- \cdot General notes: Generally not hazardous for water

(Contd. on page 5)

PerkinElmer For the Better

Material Safety Data Sheet acc. to ISO 11014

Printing date 11/06/2010

Review date 11/06/2010

Trade name: MAGNESIUM 1000 PPM A/S STANDARD (100 ML)


(Contd. of page 4)

13 Disposal considerations

- · Product:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.



Printing date 11/06/2010

PerkinElmer For the Better

*

Review date 11/06/2010

Trade name: MAGNESIUM 1000 PPM A/S STANDARD (100 ML)

Propper shipping name:	(Contd. of pag CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID	
Air transport ICAO-TI and IAT		
	1-DOK.	
the state		
VICAQ/IATA Class:	8	
UN/ID Number:	o 3264	
Label	8	
Packaging group:		
Proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACI	
Regulatory information		
Sara		
Section 355 (extremely hazardor	us substances):	
7697-37-2 nitric acid	,	
Section 313 (Specific toxic chem	nical listings):	
7697-37-2 <i>nitric acid</i>		
Proposition 65		
Chemicals known to cause canc	er:	
None of the ingredients is listed.		
Chemicals known to cause repro	oductive toxicity for females:	
None of the ingredients is listed.		
Chemicals known to cause repro	oductive toxicity for males:	
None of the ingredients is listed.		
Chemicals known to cause deve	opmental toxicity:	
None of the ingredients is listed.		
Cancerogenity categories		
EPA (Environmental Protection	Agency)	
None of the ingredients is listed.		
IARC (International Agency for	Research on Cancer)	
None of the ingredients is listed.		
NTP (National Toxicology Prog	ram)	
None of the ingredients is listed.		
TLV (Threshold Limit Value est	ablished by ACGIH)	
1309-48-4 magnesium oxide	A	
NIOSH-Ca (National Institute f	or Occupational Safety and Health)	
None of the ingredients is listed.		
OSHA-Ca (Occupational Safety	& Health Administration)	
None of the ingredients is listed.		

Observe the general safety regulations when handling chemicals.

(Contd. on page 7)



Printing date 11/06/2010

Review date 11/06/2010

(Contd. of page 6)

Trade name: MAGNESIUM 1000 PPM A/S STANDARD (100 ML)

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:

Irritant

· Risk phrases:

Irritating to eyes and skin.

· Safety phrases:

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Do not empty into drains.

Wear suitable gloves.

This material and its container must be disposed of as hazardous waste.

· Chemical safety assessment A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing MSDS: Safety and Health

• Contact: With in the USA: 1-(800)-762-4000 Out side the USA: 1-(203)-712-8488

• * Data compared to the previous version altered.