

Part of Thermo Fisher Scientific

Material Safety Data Sheet

Creation Date 27-Jan-2010

Revision Date 27-Jan-2010

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

Methylene chloride

Cat No.

BP1186-4; BP1186POP-200; BP1186SS-28; BP1186SS-50; BP1186SS-200; D35-1; D35-4; D37-1; D37-4; D37-20; D37-200; D37-200LC; D37FB-19; D37FB-50; D37FB-115; D37FB-200; D37POP-19; D37POPB-50; D37POPB-200; D37RB-19; D37RB-50; D37RB-115; D37RB-200; D37RS-19; D37RS-28; D37RS-50; D37RS-115; D37RS-200; D37SK-4; D37SK-4LC: D37SS-28: D37SS-50: D37SS-115: D37SS-200: D37SS-1350: D138-1: D138-4: D138SK-4: D142-4: D142RS-19: D142RS-28: D142RS-50: D142RS-115; D142RS-200; D142SS-28; D142SS-50; D142SS-115; D142SS-200; D143-1; D143-4; D143-4LC; D143N2-19; D143POP-28; D143RS-19; D143RS-28; D143RS-50;143RS-115; D143RS-200; D143SS-19; D143SS-28; D143SS-50; D143SS-115; D143SS-200; D149RS-19; D149RS-50; D149RS-200; D150-1; D150-4; D150-4LC; D150SK-1; 150SK-4; D151-1; D151-4; D151RS-19; D151RS-28; D151RS-50; D151RS-115; D151RS-200; D151SK-4; D151SS-19; D151SS-28; D151SS-50; D151SS-115; D151SS-200; D154-4; D154-4LC; D158-4

Synonyms

Dichloromethane; DCM (Stabilized/Not Stabilized/Pentene Preserved/Cyclohexene Preserved/Spectranalyzed/Certified ACS/HPLC/Pesticide/OPTIMA/GC Resolv)

Recommended Use

Laboratory chemicals

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 703-527-3887

2. HAZARDS IDENTIFICATION

2. HAZARDS IDENTIFICATION

WARNING!

Emergency Overview

Possible cancer hazard. May cause cancer based on animal data. May be harmful if inhaled. Irritating to eyes and skin. Inhalation may cause central nervous system effects. May cause irritation of respiratory tract.

Appearance Colorless Physical State Liquid odor sweet

Target Organs Skin, Eyes, Central nervous system (CNS), Blood, Liver, Kidney

Potential Health Effects

Acute Effects

Principle Routes of Exposure

Eyes Irritating to eyes.

Skin Irritating to skin. May be harmful in contact with skin.

Inhalation May be harmful if inhaled. Inhalation may cause central nervous system effects. May cause

irritation of respiratory tract.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

Chronic EffectsPossible cancer hazard based on tests with laboratory animals. Tumorigenic effects have been

reported in experimental animals.. Experiments have shown reproductive toxicity effects on laboratory animals. May cause adverse liver effects. May cause adverse kidney effects.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions Central nervous system disorders. Preexisting eye disorders. Skin disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	CAS-No	Weight %
Methylene chloride	75-09-2	>95.5
Methyl alcohol	67-56-1	0 - 0.4
2-Methyl-2-butene	513-35-9	0 - 0.01
Cyclohexene	110-83-8	0 - 0.01

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce

artificial respiration with a respiratory medical device. Get medical attention immediately if

symptoms occur. Move to fresh air. If breathing is difficult, give oxygen.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point No information available.

Method No information available.

Autoignition Temperature 556°C / 1032.8°F

Explosion Limits

 Upper
 23 vol %

 Lower
 13 vol %

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable Extinguishing Media No information available.

Hazardous Combustion Products

No information available.

Sensitivity to mechanical impact
Sensitivity to static discharge
No information available.
No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2 Flammability 1 Instability 0 Physical hazards N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes

and clothing.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.

Up

7. HANDLING AND STORAGE

Handling Use only under a chemical fume hood. Wear personal protective equipment. Ensure adequate

ventilation. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist.

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and

sources of ignition. Keep away from direct sunlight. Keep at temperatures below 40°C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Methylene chloride	TWA: 50 ppm	(Vacated) TWA: 500 ppm (Vacated) STEL: 2000 ppm (Vacated) Ceiling: 1000 ppm TWA: 25 ppm STEL: 125 ppm	IDLH: 2300 ppm		
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m³ (Vacated) STEL: 325 mg/m³ (Vacated) STEL: 250 ppm Skin TWA: 200 ppm TWA: 260 mg/m³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³		
Cyclohexene	TWA: 300 ppm	(Vacated) TWA: 1015 mg/m³ (Vacated) TWA: 300 ppm TWA: 1015 mg/m³ TWA: 300 ppm	IDLH: 2000 ppm TWA: 1015 mg/m ³ TWA: 300 ppm		

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Methylene chloride	Methylene chloride TWA: 174 mg/m ³		TWA: 175 mg/m ³
	TWA: 50 ppm	TWA: 330 mg/m ³	TWA: 50 ppm
		STEL: 500 ppm	
		STEL: 1740 mg/m ³	
Methyl alcohol	Methyl alcohol TWA: 200 ppm		TWA: 200 ppm
	TWA: 262 mg/m ³	TWA: 260 mg/m ³	TWA: 260 mg/m ³
	STEL: 328 mg/m ³	STEL: 250 ppm	STEL: 325 mg/m ³
	STEL: 250 ppm	STEL: 310 mg/m ³	STEL: 250 ppm
	Skin		Skin
Cyclohexene	TWA: 1010 mg/m ³	TWA: 1015 mg/m ³	TWA: 1010 mg/m ³
	TWA: 300 ppm	TWA: 300 ppm	TWA: 300 ppm

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Eye/face Protection

Skin and body protection Respiratory Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166 Wear appropriate protective gloves and clothing to prevent skin exposure

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquidAppearanceColorlessodorsweet

Odor Threshold
pHNo information available.
No information available.Vapor Pressure350 mmHg @ 20°CVapor Density2.93 (Air = 1.0)ViscosityNo information available.

.....

9. PHYSICAL AND CHEMICAL PROPERTIES

40°C / 104°F **Boiling Point/Range Melting Point/Range** -97°C / -142.6°F > .?1°C

Decomposition temperature °C

Flash Point No information available. **Evaporation Rate** No information available. **Specific Gravity** 1.33

Solubility No information available. log Pow No data available

Molecular Weight 84.93 Molecular Formula C H2 Cl2

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Strong acids, Amines

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride

gas, Phosgene

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions. None under normal processing..

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene chloride	2000 mg/kg (Rat)	Not listed	76000 mg/m ³ (Rat) 4 h
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat) 4 h
•			83.2 mg/L (Rat) 4 h
2-Methyl-2-butene	700 mg/kg (Rat)	2000 mg/kg (Rat)	61000 ppm (Rat) 4 h
Cyclohexene	2400 µL/kg (Rat)	>200 mg/kg (rabbit)	>21.6 mg/L/4h (rat)

Irritation Irritating to eyes and skin

Toxicologically Synergistic

Products

No information available.

Chronic Toxicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Mexico	
Methylene chloride	A3	Group 2B	Reasonably Anticipated	X	Not listed	

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

IARC: (International Agency for Research on Cancer)
IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Sensitization No information available.

Mutagenic Effects Mutatagenic effects have occured in microorganisms.

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental EffectsDevelopmental effects have occurred in experimental animals.

Teratogenicity No information available.

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.. See actual entry in RTECS

for complete information.

Endocrine Disruptor Information No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

. Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Methylene chloride	EC50:>660 mg/L/96h	Pimephales promelas:	EC50: 1 mg/L/24 h	EC50: 140 mg/L/48h
		LC50:193 mg/L/96h	EC50: 2.88 mg/L/15 min	_
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	
			EC50 = 43000 mg/L 5 min	
2-Methyl-2-butene	Not listed	Not listed	Not listed	EC50 48 h 3 mg/L
Cyclohexene	Not listed	Leuciscus idus: LC50: 39-405	Not listed	Daphnia: EC50: 720
		mg/L/48h		mg/L/24h

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility .

Component	log Pow
Methylene chloride	1.25
Methyl alcohol	-0.74
Cyclohexene	3.27

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methylene chloride - 75-09-2	U080	-
Methyl alcohol - 67-56-1	U154	-

14. TRANSPORT INFORMATION

DOT

UN-No UN1593

Proper Shipping Name DICHLOROMETHANE

Hazard Class 6.1 Packing Group III

TDG

UN-No UN1593

Proper Shipping Name DICHLOROMETHANE

Hazard Class 6.1 Packing Group III

<u>IATA</u>

UN-No UN1593

Proper Shipping Name Dichloromethane

Hazard Class 6.1 Packing Group

IMDG/IMO

UN-No UN1593

Proper Shipping Name Dichloromethane

Hazard Class 6.1 Packing Group III

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Methylene chloride	Т	Х	-	200-838- 9	-		Х	Х	Х	Х	KE- 23893
											Х

	15. REGULATORY INFORMATION										
Methyl alcohol	X	Х	-	200-659- 6	-		Х	Х	Х	X	KE- 23193 X
2-Methyl-2-butene	X	Х	-	208-156- 3	-		Х	Х	Х	X	KE- 23587 X
Cyclohexene	Х	Х	-	203-807- 8	-		Х	Х	Х	Х	KE- 33445 X

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Component	TSCA 12(b)
Methylene chloride	Section 4

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methylene chloride	75-09-2	>95.5	0.1
Methyl alcohol	67-56-1	0 - 0.4	1.0

SARA 311/312 Hazardous Categorization

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Methylene chloride	-	-	X	X

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors	
Methylene chloride	X		-	
Methyl alcohol	X		-	

OSHA

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Methylene chloride	12.5 ppm Action Level	-
	125 ppm STEL	
	25 ppm TWA	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Methylene chloride	1000 lb	-	
Methyl alcohol	5000 lb	-	

California Proposition 65

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL	
Methylene chloride	Methylene chloride 75-09-2		200 μg/day	
			50 μg/day	

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methylene chloride	Х	Χ	X	Χ	Х
Methyl alcohol	X	Χ	X	Χ	Х
2-Methyl-2-butene	X	Χ	X	-	-
Cyclohexene	X	Χ	Χ	•	Χ

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D1B Toxic materials D2A Very toxic materials D2B Toxic materials



16. OTHER INFORMATION

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Tel: (412) 490-8929

Creation Date 27-Jan-2010

Print Date 27-Jan-2010

Revision Summary "***", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS