

Material Safety Data Sheet DL-alpha-Methylbenzylamine, 99%

MSDS# 60204

Section 1 - Chemical Product and Company Identification

MSDS Name: DL-alpha-Methylbenzylamine, 99%

AC126390000, AC126390050, AC126390250, AC126391000, AC126395000, AC414061000 Catalog

Numbers: AC414061000, AC414065000 Synonyms: DL-alpha-Phenylethylamine

Acros Organics BVBA

Janssen Pharmaceuticalaan 3a Company Identification:

2440 Geel, Belgium

Acros Organics

One Reagent Lane Company Identification: (USA)

Fair Lawn, NJ 07410

For information in the US, call: 800-ACROS-01 For information in Europe, call: +32 14 57 52 11 Emergency Number, Europe: +32 14 57 52 99 **Emergency Number US:** 201-796-7100 CHEMTREC Phone Number, US: 800-424-9300

CHEMTREC Phone Number, Europe: 703-527-3887

Section 2 - Composition, Information on Ingredients

CAS#: 618-36-0

Chemical Name: DL-alpha-Methylbenzylamine

%: 99

EINECS#: 210-545-8

 \mathbf{C} Hazard Symbols:



Risk Phrases: 21/22 34

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Danger! Combustible liquid and vapor. Harmful if absorbed through the skin. Corrosive. May be harmful if swallowed. May cause central nervous system depression. Causes eye and skin burns. May cause severe respiratory tract irritation with possible burns. May cause severe digestive tract irritation with possible burns. Target Organs: Central nervous system.

Potential Health Effects

Eye: Causes eye burns. May cause chemical conjunctivitis and corneal damage.

Harmful if absorbed through the skin. Causes skin burns. May cause cyanosis of the extremities. May cause skin Skin:

rash (in milder cases), and cold and clammy skin with cyanosis or pale color.

May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. May cause Ingestion:

perforation of the digestive tract. May cause systemic effects.

Causes chemical burns to the respiratory tract. Aspiration may lead to pulmonary edema. May cause systemic Inhalation:

effects. Inhalation at high concentrations may cause CNS depression and asphixiation.

Chronic: Effects may be delayed.

Section 4 - First Aid Measures

Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with Eyes:

water is required (at least 30 minutes).

Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while Skin:

removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes.

Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything Ingestion:

by mouth to an unconscious person. Get medical aid immediately.

Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is

difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial Inhalation:

respiration using oxygen and a suitable mechanical device such as a bag and a mask.

Notes to Physician:

Section 5 - Fire Fighting Measures

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved

or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by General

thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Information:

Combustible liquid. Containers may explode when heated.

In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam. Use water spray to cool Extinguishing

fire-exposed containers. Use agent most appropriate to extinguish fire. Media:

Autoignition Temperature: Not applicable.

Flash Point: 79 deg C (174.20 deg F)

Explosion Not available Limits: Lower:

Explosion Not available Limits: Upper:

NFPA Rating: health: 3; flammability: 2; instability: 0;

Section 6 - Accidental Release Measures

General

Use proper personal protective equipment as indicated in Section 8. Information:

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up

spills immediately, observing precautions in the Protective Equipment section. Remove all sources of Spills/Leaks:

ignition. Use a spark-proof tool. Provide ventilation.

Section 7 - Handling and Storage

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use only in a wellventilated area. Do not breathe dust, mist, or vapor. Do not get in eyes, on skin, or on clothing. Empty containers Handling: retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Do not ingest or inhale. Discard contaminated shoes. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Keep away from heat, sparks, and flame. Keep away from sources of ignition. Keep container closed when not Storage: in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Corrosives area.

Section 8 - Exposure Controls, Personal Protection

+		+	<u> </u>	+	+
-	Chemical Name	ACGIH	NIOSH	OSHA - Final PELs	l
	 DL-alpha-Methylbenz	 none listed	none listed	 none listed	
- [ylamine				
+				+	+

OSHA Vacated PELs: DL-alpha-Methylbenzylamine: None listed

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Exposure Limits

Personal Protective Equipment

Eyes: Wear chemical splash goggles.

Skin: Wear appropriate protective gloves to prevent skin exposure. Wear appropriate protective clothing to prevent skin exposure. Clothing:

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or Respirators:

European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties

Physical State: Liquid

Color: clear colorless Odor: none reported pH: Not available

Vapor Pressure: 0.5 mm Hg @ 20 deg C

Vapor Density: Not available Evaporation Rate: Not available Viscosity: Not available

Boiling Point: 185 deg C @ 756 mmHg (365.00°F)

Freezing/Melting Point: -65 deg C (-85.00°F)

Decomposition Temperature: Not available Solubility in water: 4.2% (20°C) Specific Gravity/Density: 0.9500g/cm3

Molecular Formula: C8H11N Molecular Weight: 121.18

Section 10 - Stability and Reactivity

Stable under normal temperatures and pressures. Absorbs carbon dioxide from the Chemical Stability:

Conditions to Avoid: Ignition sources, excess heat.

Incompatibilities with Other

Materials

Strong oxidizing agents, acids, acid chlorides, carbon dioxide, acid anhydrides.

Hazardous Decomposition Products Nitrogen oxides, carbon monoxide, carbon monoxide, carbon dioxide, nitrogen gas.

Hazardous Polymerization Has not been reported.

Section 11 - Toxicological Information

RTECS#: CAS# 618-36-0: None listed

LD50/LC50: RTECS: Not available.

Carcinogenicity: DL-alpha-Methylbenzylamine - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

No information found. Other:

Section 12 - Ecological Information

Not available

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class: 8

UN Number: UN2735 Packing Group: III Canada TDG

Shipping Name: Not available

Hazard Class: UN Number

Packing Group:

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: C

Risk Phrases:

R 21/22 Harmful in contact with skin and if swallowed.

R 34 Causes burns.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 28A After contact with skin, wash immediately with plenty of water.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

WGK (Water Danger/Protection)

CAS# 618-36-0: 1

Canada

CAS# 618-36-0 is listed on Canada's DSL List

Canadian WHMIS Classifications: B3, E

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 618-36-0 is not listed on Canada's Ingredient Disclosure List.

US Federal

TSCA

CAS# 618-36-0 is listed on the TSCA Inventory.

Section 16 - Other Information

MSDS Creation Date: 2/18/1998 Revision #8 Date 7/20/2009

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantibility or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.
