

Material Safety Data Sheet Sulfur (Precipitated and Sublimed)

MSDS# 22280

Section 1 - Chemical Product and Company Identification

MSDS Name: Sulfur (Precipitated and Sublimed)

Catalog Numbers: S594-500, S595-500 Synonyms: Sulphur; Brimstone.

Fisher Scientific

Company Identification: One Reagent Lane

Fair Lawn, NJ 07410

For information in the US, call: 201-796-7100
Emergency Number US: 201-796-7100
CHEMTREC Phone Number, US: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#: 7704-34-9
Chemical Name: Sulfur
%: 100

EINECS#: 231-722-6

Hazard Symbols: XI



Risk Phrases: 36/37/38

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Warning! Flammable solid. May cause central nervous system effects. Causes eye, skin, and respiratory tract irritation.

Target Organs: Central nervous system, respiratory system, eyes, skin.

Potential Health Effects

Eye: Causes eye irritation. Effects may be delayed. Causes redness and pain. May cause chemical conjunctivitis and

corneal damage.

Skin: Causes skin irritation. Causes redness and pain.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation: Causes respiratory tract irritation. Olfactory fatigue may occur. Can produce delayed pulmonary edema. May

cause central nervous system effects such as nausea and headache.

Chronic: Prolonged or repeated skin contact may cause dermatitis. Chronic inhalation may cause effects similar to those of

acute inhalation.

Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower

eyelids. Get medical aid.

Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get

medical aid if irritation develops or persists. Wash clothing before reuse.

Ingestion: Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If conscious and alert,

rinse mouth and drink 2-4 cupfuls of milk or water. Get medical aid if irritation or symptoms occur.

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear. Do NOT use mouth-Inhalation:

to-mouth resuscitation.

Notes to

Treat symptomatically and supportively. Physician:

Section 5 - Fire Fighting Measures

Evacuate area and fight fire from a safe distance. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire,

irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dust can be an General explosion hazard when exposed to heat or flame. This material in sufficient quantity and reduced particle Information:

size is capable of creating a dust explosion. Flammable solid. May burn rapidly with flare burning effect.

May re-ignite after fire is extinguished.

Extinguishing Media:

Water spray may cause frothing. For large fires, use water spray, fog or regular foam. Contact professional fire-fighters immediately. For small fires, use dry chemical, carbon dioxide, sand, earth, water spray or regular foam. Cool containers with flooding quantities of water until well after fire is out.

Temperature: 1

Autoignition 232.2 deg C (449.96 deg F)

Flash Point: 207.2 deg C (404.96 deg F)

Explosion 3.3% Limits: Lower:

Explosion 46.0% Limits: Upper:

NFPA Rating: health: 2; flammability: 2; instability: 0;

Section 6 - Accidental Release Measures

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Scoop up with a nonsparking tool, then place into a suitable container for disposal. Avoid generating dusty conditions. Remove all sources of ignition.

Provide ventilation.

Section 7 - Handling and Storage

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Minimize dust generation and accumulation. May form flammable dust-air mixtures. Avoid contact with eyes, skin, and clothing. Empty Handling: containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Use with adequate ventilation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Keep away from heat, sparks, and flame. Keep away from sources of ignition. Store in a tightly closed container. Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

Chemical Name	+	+	++ OSHA - Final PELs
Sulfur	none listed	 none listed +	none listed

OSHA Vacated PELs: Sulfur: None listed

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Exposure Limits

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face Eyes:

protection regulations in 29 CFR 1910.133 or European Standard EN166.

Wear appropriate protective gloves to prevent skin exposure. Skin:

Clothing: Wear appropriate protective clothing to prevent skin exposure. Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties

Physical State: Solid

Color: yellow

Odor: rotten egg-like pH: Not available

Vapor Pressure: Not available

Vapor Density: Not available

Evaporation Rate: Not available

Viscosity: Not available

Boiling Point: 445 deg C (833.00°F)

Freezing/Melting Point: 113 deg C (235.40°F)

Decomposition Temperature:

Solubility in water: Insoluble in water.

Specific Gravity/Density: 2.07

Molecular Formula: S

Molecular Weight: 32.06

Section 10 - Stability and Reactivity

Chemical Stability: Stable at room temperature in closed containers under normal storage and handling

conditions.

Conditions to Avoid:

High temperatures, incompatible materials, ignition sources, dust generation, excess

heat.

Incompatibilities with Other

Materials

Strong oxidizing agents.

Hazardous Decomposition

Products

Sulfur oxides (SOx), including sulfur oxide and sulfur dioxide.

Hazardous Polymerization Has not been reported.

Section 11 - Toxicological Information

RTECS#: CAS# 7704-34-9: WS4250000

LD50/LC50: RTECS: Not available.

Carcinogenicity: Sulfur - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Other: See actual entry in RTECS for complete information.

Section 12 - Ecological Information

Not available

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: SULFUR

Hazard Class: 9

UN Number: NA1350 Packing Group: III Canada TDG

Shipping Name: Not available

Hazard Class: UN Number: Packing Group: European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XI

Risk Phrases:

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 7704-34-9: 1

Canada

CAS# 7704-34-9 is listed on Canada's DSL List

Canadian WHMIS Classifications: B4, D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 7704-34-9 is not listed on Canada's Ingredient Disclosure List.

US Federal

TSCA

CAS# 7704-34-9 is listed on the TSCA Inventory.

Section 16 - Other Information

MSDS Creation Date: 12/12/1997 Revision #10 Date 7/20/2009

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantibility or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.
