# **Material Safety Data Sheet**

Version 4.4 Revision Date 01/17/2012 Print Date 07/02/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Zinc sulfate heptahydrate

Product Number : Z4750

Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

#### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

### **OSHA Hazards**

Target Organ Effect, Harmful by ingestion., Irritant

#### **Target Organs**

Pictogram

Kidney, Pancreas, Liver, LungsKidney, Pancreas, Liver, Lungs

#### **GHS Classification**

Acute toxicity, Oral (Category 4)
Serious eye damage (Category 1)
Acute aquatic toxicity (Category 1)
Chronic aquatic toxicity (Category 1)

#### GHS Label elements, including precautionary statements

Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/ container to an approved waste disposal plant.

**HMIS Classification** 

Health hazard: 2 Chronic Health Hazard: \* Flammability: 0 Physical hazards: 0

**NFPA** Rating

Health hazard: 2 Fire: 0 Reactivity Hazard: 0

#### **Potential Health Effects**

InhalationSkinMay be harmful if inhaled. Causes respiratory tract irritation.Harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation. **Ingestion** Harmful if swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula :  $O_4SZn \cdot 7H_2O$ Molecular Weight : 287.56 g/mol

Component		Concentration
Zinc sulfate heptahydr	ate	
CAS-No.	7446-20-0	-
EC-No.	231-793-3	
Index-No.	030-006-00-9	

#### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 5. FIREFIGHTING MEASURES

#### Conditions of flammability

Not flammable or combustible.

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Borane/boron oxides, Zinc/zinc oxides

## **Further information**

The product itself does not burn.

## **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Sigma-Aldrich - Z4750 Page 2 of 7

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

## Personal protective equipment

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Appearance**

Form crystalline
Colour white

## Safety data

pH 4.0 - 6.0 at 50 g/l at 20 °C (68 °F)

Melting point/range: > 500 °C (> 932 °F)

point/freezing point

Boiling point no data available
Flash point not applicable
Ignition temperature no data available
Autoignition no data available

Sigma-Aldrich - Z4750 Page 3 of 7

temperature

Lower explosion limit no data available Upper explosion limit no data available Vapour pressure no data available

Density 1.957 g/cm3 at 20 °C (68 °F)

Water solubility 965 g/l at 20 °C (68 °F)

Partition coefficient:

n-octanol/water

no data available

Relative vapour

density

no data available

Odour no data available Odour Threshold no data available Evaporation rate no data available

#### 10. STABILITY AND REACTIVITY

## **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

no data available

#### Conditions to avoid

no data available

#### Materials to avoid

Strong oxidizing agents

## **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Borane/boron oxides, Zinc/zinc oxides Other decomposition products - no data available

### 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

### Oral LD50

LD50 Oral - rat - 2,150 mg/kg

#### **Inhalation LC50**

no data available

### **Dermal LD50**

no data available

#### Other information on acute toxicity

LD50 Intraperitoneal - rat - 200 mg/kg

#### Skin corrosion/irritation

no data available

#### Serious eye damage/eye irritation

Eyes - rabbit - Moderate eye irritation - Draize Test

## Respiratory or skin sensitization

no data available

## Germ cell mutagenicity

no data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

Sigma-Aldrich - Z4750 Page 4 of 7 probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

no data available

#### Teratogenicity

no data available

## Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

#### Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

## Aspiration hazard

no data available

#### Potential health effects

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** Harmful if swallowed.

**Skin** Harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

#### Signs and Symptoms of Exposure

Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, airway resistance, Cardiovascular effects., pulmonary edema, congestive heart failure

### Synergistic effects

no data available

## **Additional Information**

RTECS: ZH5300000

### 12. ECOLOGICAL INFORMATION

### **Toxicity**

Toxicity to fish mortality LC50 - other fish - 1 - 10 mg/l - 96.0 h

#### Persistence and degradability

no data available

## **Bioaccumulative potential**

no data available

### Mobility in soil

no data available

### PBT and vPvB assessment

no data available

#### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Sigma-Aldrich - Z4750 Page 5 of 7

Very toxic to aquatic life with long lasting effects.

#### 13. DISPOSAL CONSIDERATIONS

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Zinc sulfate heptahydrate)

Reportable Quantity (RQ): 1000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc sulfate heptahydrate)

Marine pollutant: No

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc sulfate heptahydrate)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

#### 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Target Organ Effect, Harmful by ingestion., Irritant

#### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. **Revision Date** Zinc sulfate heptahydrate 7446-20-0 1993-04-24

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

	CAS-No.	<b>Revision Date</b>
Zinc sulfate heptahydrate	7446-20-0	1993-04-24
Pennsylvania Right To Know Components		
·	CAS-No.	<b>Revision Date</b>
Zinc sulfate heptahydrate	7446-20-0	1993-04-24
New Jersey Right To Know Components		

## New Jersey Right To Know Components

CAS-No. **Revision Date** 1993-04-24 Zinc sulfate heptahydrate 7446-20-0

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Sigma-Aldrich - Z4750 Page 6 of 7

### **16. OTHER INFORMATION**

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - Z4750 Page 7 of 7