# SIGMA-ALDRICH

sigma-aldrich.com

# **SAFETY DATA SHEET**

Version 5.4 Revision Date 02/26/2015 Print Date 05/08/2015

## **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Acetic anhydride
	Product Number Brand Index-No.	:	242845 Sigma-Aldrich 607-008-00-9
	CAS-No.	:	108-24-7
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052
1.4	Emergency telephone nur	nbe	Pr

#### 1.4 Emergency telephone number

Emergency Phone # : (3	314)	776-6555
------------------------	------	----------

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

Hazard statement(s) H226 H302 H314 H318 H331	Flammable liquid and vapour. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Toxic if inhaled.
Precautionary statement(s) P210 P233 P240	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.

P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you
	feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER or doctor/ physician.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
	extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator., Reacts violently with water.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Formula	:	С <sub>4</sub> Н <sub>6</sub> О <sub>3</sub>
Molecular weight	:	102.09 g/mol
CAS-No.	:	108-24-7
EC-No.	:	203-564-8
Index-No.	:	607-008-00-9

#### Hazardous components

Component	Classification	Concentration
Acetic anhydride		
	Flam. Liq. 3; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; H226, H302, H314, H318, H331	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4 Further information** Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### **6.2** Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Reacts violently with water. Storage class (TRGS 510): Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

CAS-No.	Value	Control	Basis			
		parameters				
108-24-7	TWA	1 ppm	USA. ACGIH Threshold Limit Values			
			(TLV)			
Remarks	Upper Respiratory Tract irritation Eye irritation					
	Not classifiable as a human carcinogen					
	TWA	1.000000 ppm	USA. ACGIH Threshold Limit Values			
			(TLV)			
	Upper Respi	iratory Tract irritati	on			
	Eye irritation	Eye irritation				
	Not classifia	Not classifiable as a human carcinogen				
	TWA	5.000000 ppm	USA. Occupational Exposure Limits			
		20.000000	(OSHA) - Table Z-1 Limits for Air			
		mg/m3	Contaminants			
	The value in mg/m3 is approximate.					
	С	5.000000 ppm	USA. NIOSH Recommended			
		20.000000	Exposure Limits			
		mg/m3				
	STEL	3.000000 ppm	USA. ACGIH Threshold Limit Values			
			(TLV)			
	Upper Respiratory Tract irritation					
Eye irritation						
	Not classifia	ble as a human ca	rcinogen			
	CAS-No. 108-24-7 Remarks	CAS-No. Value 108-24-7 TWA Remarks Upper Respicy irritation Not classifia TWA Upper Respicy irritation Not classifia TWA The value in C STEL Upper Respicy Eye irritation	CAS-No.ValueControl parameters108-24-7TWA1 ppmRemarksUpper Respiratory Tract irritati Eye irritation Not classifiable as a human caTWA1.000000 ppmUpper Respiratory Tract irritati Eye irritation Not classifiable as a human caTWA1.000000 ppmUpper Respiratory Tract irritati Eye irritation Not classifiable as a human caTWA5.000000 ppmTWA5.000000 ppm20.00000 mg/m3The value in mg/m3 is approxiC5.000000 ppm20.00000 mg/m3STEL3.000000 ppmUpper Respiratory Tract irritati			

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 60 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	pungent
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -73 °C (-99 °F) - lit.
f)	Initial boiling point and boiling range	138 - 140 °C (280 - 284 °F) - lit.
g)	Flash point	49 °C (120 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 10.3 %(V) Lower explosion limit: 2.7 %(V)
k)	Vapour pressure	5 hPa (4 mmHg) at 20 °C (68 °F) 13 hPa (10 mmHg) at 36 °C (97 °F) 6.69 hPa (5.02 mmHg)
I)	Vapour density	3.52 - (Air = 1.0)
m)	Relative density	1.08 g/cm3
n)	Water solubility	slightly soluble
0)	Partition coefficient: n- octanol/water	log Pow: ca0.27
p)	Auto-ignition temperature	316 °C (601 °F)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	ner safety information	
	Surface tension	32.7 mN/m at 20 °C (68 °F)
	Relative vapour density	3.52 - (Air = 1.0)

9.2

#### **10. STABILITY AND REACTIVITY**

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available

#### **10.4** Conditions to avoid Do not allow water to enter container because of violent reaction. Heat, flames and sparks.

**10.5 Incompatible materials** acids, Alcohols, Bases, Oxidizing agents, Reducing agents, Powdered metals

#### **10.6 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

#### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 630 mg/kg

LC50 Inhalation - Rat - 4 h - 4,200 mg/m3

LD50 Dermal - Rabbit - 4,320 mg/kg

No data available

#### Skin corrosion/irritation

Skin - in vitro assay Result: Causes burns.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe eye irritation

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

### Aspiration hazard

No data available

#### **Additional Information**

RTECS: AK1925000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish	LC50 - Leuciscus idus melanotus - 265 mg/l - 48 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia (water flea) - 55 mg/l - 96 h
Toxicity to algae	EC10 - Desmodesmus subspicatus (green algae) - 3,400 mg/l - 192 h

# 12.2 Persistence and degradability

Biodegradability Zahn-Wellens Test - Exposure time 5 d Result: - Readily biodegradable (OECD Test Guideline 302B)

#### **12.3 Bioaccumulative potential** No bioaccumulation is to be expected (log Pow <= 4).

12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

<b>DOT (US)</b> UN number: 1715 Class: 8 (3) Proper shipping name: Acetic anhydride Reportable Quantity (RQ): 5000 lbs	Packing group: II		
Poison Inhalation Hazard: No			
IMDG UN number: 1715 Class: 8 (3) Proper shipping name: ACETIC ANHYDRIDE	Packing group: II	EMS-No: F-E, S-C	
IATA UN number: 1715 Class: 8 (3) Proper shipping name: Acetic anhydride	Packing group: II		

#### **15. REGULATORY INFORMATION**

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components		
Acetic anhydride	CAS-No. 108-24-7	Revision Date 2007-03-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Acetic anhydride	108-24-7	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Acetic anhydride	108-24-7	2007-03-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquids
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
Skin Corr.	Skin corrosion

#### **HMIS Rating**

Health hazard:	3
Chronic Health Hazard:	
Flammability:	2
Physical Hazard	0

#### NFPA Rating

Health hazard:	3
Fire Hazard:	2
Reactivity Hazard:	0

#### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

**Preparation Information** Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4

Revision Date: 02/26/2015

Print Date: 05/08/2015