SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.4 Revision Date 08/05/2014 Print Date 08/28/2015

1.	PRODUCT	AND	COMPANY	IDENTIFICATION	
----	---------	-----	---------	----------------	--

1.1	Product identifiers Product name	:	Nitric acid solution
	Product Number Brand	:	35315 Fluka
	CAS-No.	:	7697-37-2
1.2	Relevant identified uses o	f th	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of t	he	safety data sheet
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052
1.4	Emergency telephone nur	nbe	r

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing liquids (Category 3), H272 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H272 H314	May intensify fire; oxidiser. Causes severe skin burns and eye damage.
Precautionary statement(s) P210 P220 P221	Keep away from heat. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles.
P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P330 + P331 P303 + P361 + P353	protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P321	Specific treatment (see supplemental first aid instructions on this label).
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Formula	: HNO ₃
Molecular Weight	: 63.01 g/mol

Hazardous components

Component		Classification	Concentration
Nitric acid			
CAS-No. EC-No. Index-No.	7697-37-2 231-714-2 007-004-00-1	Ox. Liq. 3; Skin Corr. 1A; Eye Dam. 1; H272, H314	5 - 10 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture no data available

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 **Further information**

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 **Environmental precautions**

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 **Reference to other sections**

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking.Keep away from heat and sources of ignition. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
Component	0/10/110.	Value		D0313	
			parameters		
Nitric acid	7697-37-2	TWA	2 ppm	USA. ACGIH Threshold Limit Values	
				(TLV)	
	Remarks	Eye & Uppe	r Respiratory Trac	t irritation	
		Dental erosi	on		
		STEL	4 ppm	USA. ACGIH Threshold Limit Values	
				(TLV)	
		Eye & Uppe	r Respiratory Trac	t irritation	
		Dental erosion			
		ST	4 ppm	USA. NIOSH Recommended	
			10 mg/m3	Exposure Limits	
		TWA	2 ppm	USA. NIOSH Recommended	
			5 mg/m3	Exposure Limits	
		TWA	2 ppm	USA. Occupational Exposure Limits	
			5 mg/m3	(OSHA) - Table Z-1 Limits for Air	
				Contaminants	
		The value in	mg/m3 is approxi	imate.	

TWA		USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
STEL	- F F	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 120 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- a) Appearance Form: clear, liquid
- b) Odour no data available
- c) Odour Threshold no data available
- d) pH no data available
- e) Melting point/freezing no data available point
- f) Initial boiling point and no data available

boiling range

g)	Flash point	no data available
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	no data available
k)	Vapour pressure	no data available
I)	Vapour density	no data available
m)	Relative density	1.03 g/cm3
n)	Water solubility	no data available
o)	Partition coefficient: n- octanol/water	no data available
p)	Auto-ignition temperature	no data available
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
	er safety information data available	

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

no data available

10.2 Chemical stability Stable under recommended storage conditions.

- **10.3** Possibility of hazardous reactions no data available
- **10.4** Conditions to avoid May discolor on exposure to air and light.

10.5 Incompatible materials Metals

Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - nitrogen oxides (NOx) Other decomposition products - no data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

no data available

Inhalation: no data available

Dermal: no data available

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitisation no data available

Germ cell mutagenicity

no data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available no data available

Specific target organ toxicity - single exposure no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard

no data available

Additional Information

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence (Nitric acid)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

no data available

- **12.2 Persistence and degradability** no data available
- **12.3 Bioaccumulative potential** no data available
- **12.4 Mobility in soil** no data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

	DOT (US) UN number: 2031 Cla Proper shipping name: Nitr Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard:	ric acid 15870 lbs	Packing group: II				
	IMDG UN number: 2031 Cla Proper shipping name: NIT Marine pollutant: No		Packing group: II	E	MS-No:	F-A, S-B	
	IATA UN number: 2031 Cla Proper shipping name: Nitr		Packing group: II				
. R	EGULATORY INFORMATI	ON					
	SARA 302 Components The following components	are subject to reporting	g levels establish	ed by SARA ⁻ CAS-No.		Section 302: Revision Date	
	Nitric acid			7697-37-2		2007-07-01	
	SARA 313 Components The following components	are subject to reporting	g levels establish	ed by SARA ⁻ CAS-No.		Section 313: Revision Date	
	Nitric acid			7697-37-2		2007-07-01	
	SARA 311/312 Hazards Acute Health Hazard, Chro	onic Health Hazard					
	Massachusetts Right To	Know Components					
	Nitric acid			CAS-No. 7697-37-2		Revision Date 2007-07-01	
	Pennsylvania Right To K	Know Components					
	Water			CAS-No. 7732-18-5		Revision Date	
	Nitric acid			7697-37-2		2007-07-01	
	New Jersey Right To Kn	ow Components					
				CAS-No.		Revision Date	
	Water			7732-18-5		0007 07 04	
	Nitric acid			7697-37-2		2007-07-01	
	Colifornia Dron CE Com	nononto					

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

15.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Eye Dam.	Serious eye damage
H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
Ox. Liq.	Oxidizing liquids
Skin Corr.	Skin corrosion
HMIS Rating Health hazard:	3

noaith nazara.	-
Chronic Health Hazard:	*
Flammability:	0
Physical Hazard	2
NFPA Rating	
Health hazard:	3
•	3 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4

Revision Date: 08/05/2014

Print Date: 08/28/2015