# SAFETY DATA SHEET

Version 5.2 Revision Date 09/15/2014 Print Date 04/27/2015

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Reagent Alcohol,

Product Number : 793183 Brand : Sigma-Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

**USA** 

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302

Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
H370 Causes damage to organs.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Sigma-Aldrich - 793183

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF exposed: Call a POISON CENTER or doctor/physician. P307 + P311 Specific treatment (see supplemental first aid instructions on this label). P321 P330 Rinse mouth. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Store in a well-ventilated place. Keep cool. P403 + P235 P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

### Hazardous components

Component		Classification	Concentration	
Ethanol				
CAS-No.	64-17-5	Flam. Liq. 2; H225	70 - 90 %	
EC-No.	200-578-6			
Index-No.	603-002-00-5			
2-Propanol			ı	
CAS-No.	67-63-0	Flam. Liq. 2; Eye Irrit. 2A;	5 - 10 %	
EC-No.	200-661-7	STOT SE 3; H225, H319,		
Index-No.	603-117-00-0	H336		
Methanol			l	
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	5 - 10 %	
EC-No.	200-659-6	STOT SE 1; H225, H301 +		
Index-No.	603-001-00-X	H311 + H331, H370		
Registration number	01-2119433307-44-XXXX			

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 793183 Page 2 of 9

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Componente man					
Component	CAS-No.	Value	Control	Basis	
			parameters		
Ethanol	64-17-5	TWA	1,000 ppm	USA. ACGIH Threshold Limit Values	
				(TLV)	
	Remarks	Upper Respiratory Tract irritation			
		Confirmed animal carcinogen with unknown relevance to humans			
		TWA	1,000 ppm	USA. Occupational Exposure Limits	
			1,900 mg/m3	(OSHA) - Table Z-1 Limits for Air	
				Contaminants	
		The value in mg/m3 is approximate.			

Sigma-Aldrich - 793183 Page 3 of 9

		TWA	1,000 ppm 1,900 mg/m3	USA. NIOSH Recommended Exposure Limits			
2-Propanol	67-63-0	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Eye & Upp Central Ne Not classif	airment				
		STEL	STEL 400 ppm USA. ACGIH Threshold Lir (TLV)				
		Central Ne	Eye & Upper Respiratory Tract irritation Central Nervous System impairment Not classifiable as a human carcinogen				
		TWA	400 ppm 980 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
		STEL	500 ppm 1,225 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
		TWA	400 ppm 980 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
		The value	in mg/m3 is approx	kimate.			
		TWA	400 ppm 980 mg/m3	USA. NIOSH Recommended Exposure Limits			
		ST	500 ppm 1,225 mg/m3	USA. NIOSH Recommended Exposure Limits			
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption					
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption					
		TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits			
		Potential for	or dermal absorption	on			
		ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits			
		Potential for	or dermal absorption	on			
		TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
		The value in mg/m3 is approximate.					
		STEL	250 ppm 325 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
		Skin notati					
		TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000			
		Skin notati					

**Biological occupational exposure limits** 

Biological occupational exposure limits					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
2-Propanol	67-63-0	Acetone	40 mg/l	Urine	ACGIH - Biological

Sigma-Aldrich - 793183 Page 4 of 9

					Exposure Indices (BEI)
	Remarks	End of shift a	at end of work	kweek	
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid
 b) Odour No data available
 c) Odour Threshold No data available
 d) pH No data available
 e) Melting point/freezing point
 f) Initial boiling point and boiling range
 g) Flack point

g) Flash point 13 - 16 °C (55 - 61 °F) - closed cup

h) Evaporation rate No data available
 i) Flammability (solid, gas) No data available
 j) Upper/lower flammability or explosive limits

k) Vapour pressure No data availablel) Vapour density No data availablem) Relative density No data available

Sigma-Aldrich - 793183 Page 5 of 9

n) Water solubilityNo data availableo) Partition coefficient: n-No data available

octanol/water

p) Auto-ignition No data available

temperature
) Decomposition

No data available

temperature

r) Viscosity No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

No data available

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

#### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Sigma-Aldrich - 793183 Page 6 of 9

#### Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Ethanol) Kidney - Irregularities - Based on Human Evidence (2-Propanol)

Stomach - Irregularities - Based on Human Evidence (Methanol)

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1987 Class: 3 Packing group: II

Proper shipping name: Alcohols, n.o.s.

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1987 Class: 3 Packing group: II EMS-No: F-E, S-D

Sigma-Aldrich - 793183 Page 7 of 9

Proper shipping name: ALCOHOLS, N.O.S.

Marine pollutant: No

**IATA** 

UN number: 1987 Class: 3 Packing group: II

Proper shipping name: Alcohols, n.o.s.

#### 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Methanol	67-56-1	2007-07-01
2-Propanol	67-63-0	1987-01-01

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Ethanol	64-17-5	2007-03-01
2-Propanol	67-63-0	1987-01-01
Methanol	67-56-1	2007-07-01

04041

. . . . .

# Pennsylvania Right To Know Components

, ,	CAS-No.	Revision Date
Ethanol	64-17-5	2007-03-01
Water	7732-18-5	
2-Propanol	67-63-0	1987-01-01
Methanol	67-56-1	2007-07-01

### **New Jersey Right To Know Components**

	CAS-No.	Revision Date
Ethanol	64-17-5	2007-03-01
Water	7732-18-5	
2-Propanol	67-63-0	1987-01-01
Methanol	67-56-1	2007-07-01

# California Prop. 65 Components

WARNING: This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause birth defects or other reproductive	67-56-1	2012-03-16
·		

harm. Methanol

### **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

H302 Harmful if swallowed.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H370 Causes damage to organs.

STOT SE Specific target organ toxicity - single exposure

Sigma-Aldrich - 793183

**HMIS** Rating

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

**NFPA** Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.2 Revision Date: 09/15/2014 Print Date: 04/27/2015

Sigma-Aldrich - 793183 Page 9 of 9