SAFETY DATA SHEET

Version 4.9 Revision Date 05/19/2015 Print Date 06/22/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Cadmium

Product Number : 414891
Brand : Aldrich
Index-No. : 048-002-00-0

CAS-No. : 7440-43-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 2), H330 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure (Category 1), H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements



Signal word Danger

Hazard statement(s)

Pictogram

H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : Cd

Molecular weight : 112.41 g/mol CAS-No. : 7440-43-9 EC-No. : 231-152-8 Index-No. : 048-002-00-0

Hazardous components

Component	Classification	Concentration	
Cadmium Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
	Acute Tox. 2; Muta. 2; Carc. 1B; Repr. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H330, H341, H350, H361, H372, H410	<= 100 %	

No components need to be disclosed according to the applicable regulations. For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Aldrich - 414891 Page 2 of 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Cadmium/cadmium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Air sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components that the first contract contract parameters					
Component	CAS-No.	Value	Control parameters	Basis	
Cadmium	7440-43-9	TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section)			

Aldrich - 414891 Page 3 of 11

Suspected human carcinogen			
TWA 0.002000 USA. ACGIH Threshold Limit Values			
mg/m3 (TLV)			
Kidney damage			
Substances for which there is a Biological Exposure Index or Indice (see BEI® section)			
Suspected human carcinogen			
Substance listed; for more information see OSHA document			
1910.1027			
TWA 0.100000 USA. Occupational Exposure Limits mg/m3 (OSHA) - Table Z-2			
Z37.5-1970			
This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
TWA 0.200000 USA. Occupational Exposure Limits			
mg/m3 (OSHA) - Table Z-2			
Z37.5-1970			
This standard applies to any operations or sectors for which the			
Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
CEIL 0.300000 USA. Occupational Exposure Limits			
mg/m3 (OSHA) - Table Z-2			
Z37.5-1970			
This standard applies to any operations or sectors for which the			
Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
CEIL 0.600000 USA. Occupational Exposure Limits			
mg/m3 (OSHA) - Table Z-2			
Z37.5-1970			
This standard applies to any operations or sectors for which the			
Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
TWA 0.100000 USA. Occupational Exposure Limits			
mg/m3 (OSHA) - Table Z-2 Z37.5-1970			
This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
CEIL 0.300000 USA. Occupational Exposure Limits			
mg/m3 (OSHA) - Table Z-2			
Z37.5-1970			
This standard applies to any operations or sectors for which the			
Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
Potential Occupational Carcinogen			
See Appendix A			
TWA 0.200000 USA. Occupational Exposure Limits			
mg/m3 (OSHA) - Table Z-2			
Z37.5-1970			
This standard applies to any operations or sectors for which the			
Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
CEIL 0.600000 USA. Occupational Exposure Limits			
mg/m3 (OSHA) - Table Z-2			
Z37.5-1970			
This standard applies to any operations or sectors for which the			
Cadmium standard, 1910.1027, is stayed or otherwise not in effect.			
PEL 0.005000 OSHA Specifically Regulated			
mg/m3 Chemicals/Carcinogens			
1910.1027 This standard applies to all accumational exposures to cadmium and			
This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by			
the Occupational Safety and Health Act, except the construction-			
related industries, which are covered under 29 CFR 1926.63.			
OSHA specifically regulated carcinogen			
Dona specifically regulated cardiflogen			

Aldrich - 414891 Page 4 of 11

	Potential Occupational Carcinogen			
	See Appendix A Potential Occupational Carcinogen See Appendix A			
	TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen varies			
	TWA	0.002000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen varies			
	PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens	
	This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63. OSHA specifically regulated carcinogen TWA 0.1 mg/m3 USA. Occupational Exposure Limits			
	Z37.5-1970 This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effective stayed or otherwise.			
	TWA	0.2 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-2	
	Z37.5-1970 This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in eff CEIL 0.3 mg/m3 USA. Occupational Exposure L			
	Z37.5-1970	l and might	(OSHA) - Table Z-2	
			perations or sectors for which the 7, is stayed or otherwise not in effect.	
	CEIL	0.6 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-2	
	Z37.5-1970 This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effective stayed or otherwise stayed			
	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen varies			
	TWA	0.002 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
444904	(see BEI® s	for which there is	a Biological Exposure Index or Indices	

Aldrich - 414891 Page 5 of 11

PEL	0.005 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens	
This star cadmiun the Occu related in	This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63. OSHA specifically regulated carcinogen		
	Substance listed; for more information see OSHA document 1910.1027		
	Potential Occupational Carcinogen See Appendix A		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Cadmium	7440-43-9	cadmium	0.0050 mg/g	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			
		cadmium	5.0000 μg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
		Not critical			
		cadmium	5 μg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
		Not critical			
		cadmium	5µg/g creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

Aldrich - 414891 Page 6 of 11

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: granular a) Appearance

Colour: light grey

b) Odour odourless

c) Odour Threshold No data available No data available d) pH

e) Melting point/freezing

point

Melting point/range: 320.9 °C (609.6 °F) - lit.

f) Initial boiling point and boiling range

765 °C (1,409 °F) - lit.

g) Flash point Not applicable h) Evaporation rate No data available

Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available

m) Relative density 8.65 g/cm3 at 25 °C (77 °F) n) Water solubility 0.0023 g/l at 20 °C (68 °F)

o) Partition coefficient: n-

No data available

octanol/water p) Auto-ignition

No data available

temperature q) Decomposition

No data available

temperature Viscosity r)

s) Explosive properties

Oxidizing properties

No data available No data available No data available

9.2 Other safety information

No data available

Aldrich - 414891 Page 7 of 11

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Oxidizing agents, acids

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 2,330 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium)

NTP: Known to be human carcinogenThe reference note has been added by TD based on the

background information of the NTP. (Cadmium)

OSHA: OSHA specifically regulated carcinogen (Cadmium)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: EU9800000

Aldrich - 414891 Page 8 of 11

Damage to the lungs., Kidney injury may occur., prolonged or repeated exposure can cause:, Vomiting, Diarrhoea, Lung irritation

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.001 mg/l - 96 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 0.024 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae static test EC50 - Selenastrum capricornutum (green algae) - 0.023 mg/l - 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 72 d

- 1.27 µg/l

Bioconcentration factor (BCF): 55

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3288 Class: 6.1 Packing group: II Proper shipping name: Toxic solid, inorganic, n.o.s. (Cadmium)

Reportable Quantity (RQ): 10 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3288 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Cadmium)

Marine pollutant:yes

IATA

UN number: 3288 Class: 6.1 Packing group: II Proper shipping name: Toxic solid, inorganic, n.o.s. (Cadmium)

Aldrich - 414891 Page 9 of 11

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 7440-43-9 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard. Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date 7440-43-9 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date Cadmium 7440-43-9 2007-07-01

New Jersey Right To Know Components

Cadmium CAS-No. Revision Date 7440-43-9 2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2009-02-01

Cadmium

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive 7440-43-9 Revision Date 2009-02-01

harm. Cadmium

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 4
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 4
Fire Hazard: 0
Reactivity Hazard: 0

Aldrich - 414891 Page 10 of 11

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 05/19/2015 Print Date: 06/22/2015

Aldrich - 414891 Page 11 of 11