# SIGMA-ALDRICH

sigma-aldrich.com

## SAFETY DATA SHEET

Version 4.6 Revision Date 03/03/2015 Print Date 10/09/2015

## **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Chlorobenzene
	Product Number Brand Index-No.	:	284513 Sigma-Aldrich 602-033-00-1
	CAS-No.	:	108-90-7
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052
1.4	Emergency telephone nur	nbe	er

## Emergency Phone # : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Warning
Hazard statement(s) H226 H302 + H332 H315 H411	Flammable liquid and vapour. Harmful if swallowed or if inhaled Causes skin irritation. Toxic to aquatic life with long lasting effects.
Precautionary statement(s) P210 P233 P240	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Avoid release to the environment.
Wear protective gloves/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
If skin irritation occurs: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1 Substances

Formula	:	C <sub>6</sub> H <sub>5</sub> CI
Molecular weight	:	112.56 g/mol
CAS-No.	:	108-90-7
EC-No.	:	203-628-5
Index-No.	:	602-033-00-1

## Hazardous components

Component	Classification	Concentration
Chlorobenzene		
	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Aquatic Acute 2; Aquatic Chronic 2; H226, H302 + H332, H315, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas

## **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Chlorobenzene	108-90-7	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Liver damage Substances for which there is a Biological Exposure Index or Indices		

(see BEI® section) Confirmed animal carcinogen with unknown relevance to humans		
See Append	ix D - Substances	with No Established RELs
TWA	75.000000 ppm 350.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m3 is approximate.		

#### **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Chlorobenzene 108-90-7		4- Chlorocatech ol	100mg/g Creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift at end of workweek			
		p- Chlorophenol	20mg/g Creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift at	end of workv	veek	

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	neutral
e)	Melting point/freezing point	Melting point/range: -45 °C (-49 °F) - lit.
f)	Initial boiling point and boiling range	132 °C (270 °F) - lit.
g)	Flash point	27.0 °C (80.6 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 7.1 %(V) Lower explosion limit: 1.3 %(V)
k)	Vapour pressure	15.7 hPa (11.8 mmHg) at 25.0 °C (77.0 °F)
I)	Vapour density	No data available
m)	Relative density	1.106 g/cm3 at 25 °C (77 °F)
n)	Water solubility	0.207 g/l at 20 °C (68 °F)
o)	Partition coefficient: n- octanol/water	log Pow: 2.89
p)	Auto-ignition temperature	637.0 °C (1,178.6 °F)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	ner safety information	
	Solubility in other solvents	Alcohol - soluble Benzene - soluble Chloroform - soluble Ether - soluble
	Surface tension	33.0 mN/m at 25.0 °C (77.0 °F)

## **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

9.2

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions. Sigma-Aldrich - 284513

- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents

#### **10.6 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - 1,110 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Tremor. Behavioral:Ataxia.

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 4 h (OECD Test Guideline 404) Remarks: No data available

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

**Respiratory or skin sensitisation** No data available

#### **Germ cell mutagenicity** No data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: CZ0175000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish	LC100 - Leuciscus idus (Golden orfe) - 0.03 - 28 mg/l - 48.0 h
	LC50 - Cyprinodon variegatus (sheepshead minnow) - 10 mg/l - 96.0 h
	LC50 - Lepomis macrochirus (Bluegill) - 4.5 - 7.4 mg/l - 76.0 h
	NOEC - Cyprinodon variegatus (sheepshead minnow) - 6.2 mg/l - 96.0 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 4.30 - 16.00 mg/l - 24 h
	EC50 - No information available 7.60 mg/l - 24 h
	NOEC - Daphnia magna (Water flea) - < 1.4 mg/l - 11 d
	LC50 - Daphnia magna (Water flea) - 10.7 mg/l - 48 h
Toxicity to algae	EC50 - No information available 235.00 mg/l - 48 h
	EC50 - Pseudokirchneriella subcapitata (green algae) - 12.50 mg/l - 96 h

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 15 % - Not readily biodegradable. (OECD Test Guideline 301F)

#### 12.3 Bioaccumulative potential

Bioaccumulation Leuciscus idus (Golden orfe) - 3 d - 0.05 mg/l

Bioconcentration factor (BCF): 75

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

No data available

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

DOT (US) UN number: 1134 Class: 3 Proper shipping name: Chlorobenzene

Packing group: III

Reportable Quantity (RQ): 100 lbs			
Poison Inhalation Hazard: No			
IMDG UN number: 1134 Class: 3 Proper shipping name: CHLOROBENZENE Marine pollutant:yes	Packing group: III	EMS-No: F-E, S-D	
IATA UN number: 1134 Class: 3 Proper shipping name: Chlorobenzene	Packing group: III		
5. REGULATORY INFORMATION			
SARA 302 Components No chemicals in this material are subject to the	ne reporting requirements of \$	SARA Title III, Section 302.	
SARA 313 Components The following components are subject to report Chlorobenzene	orting levels established by S CAS-N 108-90	o. Revision Date	
<b>SARA 311/312 Hazards</b> Fire Hazard, Acute Health Hazard			
Massachusetts Right To Know Componer	nts		
Chlorobenzene	CAS-N 108-90		
Pennsylvania Right To Know Components			
Chlorobenzene	CAS-N 108-90		
New Jersey Right To Know Components		<b>_</b>	
Chlorobenzene	CAS-N 108-90		
California Prop. 65 Components			

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Flam. Liq.	Flammable liquids
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H332	Harmful if inhaled.

## **HMIS** Rating

Health hazard:	2
Chronic Health Hazard:	
Flammability:	3
Physical Hazard	0

## **NFPA** Rating

Health hazard:	2
Fire Hazard:	3
Sigma-Aldrich - 284513	

## Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.6

Revision Date: 03/03/2015

Print Date: 10/09/2015