SAFETY DATA SHEET

Version 5.9 Revision Date 02/27/2015 Print Date 05/26/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Cyclohexanol

Product Number : 105899
Brand : Sigma-Aldrich
Index-No. : 603-009-00-3

CAS-No. : 108-93-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Hazard statement(s)

H227 Combustible liquid.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Sigma-Aldrich - 105899

Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you
	feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of soap and water. Call a POISON
	CENTER or doctor/ physician if you feel unwell.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if
	you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for
	extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

Component	Classification	Concentration
Cyclohexanol		
	Flam. Liq. 4; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Aquatic Acute 3; Aquatic Chronic 3; H227, H302 + H312 + H332, H315, H319, H335, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 105899 Page 2 of 9

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

hygroscopic

Storage class (TRGS 510): Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 105899 Page 3 of 9

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis				
			parameters					
Cyclohexanol	108-93-0	TWA	50.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)				
	Remarks	Central Nervous System impairment						
		Eye irritation						
		Danger of cutaneous absorption						
		TWA	USA. Occupational Exposure Limits					
			50.000000 ppm 200.000000	(OSHA) - Table Z-1 Limits for Air				
			mg/m3	Contaminants				
		The value in mg/m3 is approximate.						
		TWA	50.000000 ppm	USA. NIOSH Recommended				
			200.000000	Exposure Limits				
			mg/m3					
		Potential for dermal absorption						
		TWA	50 ppm	USA. ACGIH Threshold Limit Values				
			' '	(TLV)				
		Central Nervous System impairment						
		Eye irritation						
		Danger of cutaneous absorption						
		TWA	50 ppm	USA. NIOSH Recommended				
			200 mg/m3	Exposure Limits				
		Potential for dermal absorption						
		TWA	50 ppm	USA. Occupational Exposure Limits				
			200 mg/m3	(OSHA) - Table Z-1 Limits for Air				
			_	Contaminants				
		The value in mg/m3 is approximate.						
		TWA	50 ppm	USA. OSHA - TABLE Z-1 Limits for				
			200 mg/m3	Air Contaminants - 1910.1000				
			200 mg/m3	All Contaminants 1510.1000				

Biological occupational exposure limits

Biological occup				1 =	1	
Component	CAS-No.	Parameters	Value	Biological	Basis	
				specimen		
	1	1	1	1	1	
Cyclohexanol	108-93-0	1,2-		Urine	ACGIH - Biological	
		Cyclohexane			Exposure Indices	
		diol			(BEI)	
	Remarks	End of shift at end of workweek				
		Cyclohexanol		Urine	ACGIH - Biological	
					Exposure Indices	
					(BĖI)	
		End of shift (As soon as possible after exposure ceases)				
		1,2-		Urine	ACGIH - Biological	
		Cyclohexane			Exposure Indices	
		diol			(BĖI)	
		End of shift at end of workweek				
		Cyclohexanol		Urine	ACGIH - Biological	
					Exposure Indices	
					(BĖI)	
		End of shift (As soon as possible after exposure ceases)				

Sigma-Aldrich - 105899 Page 4 of 9

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 60 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 6.5 at 40 g/l at 20 °C (68 °F)

e) Melting point/freezing Melting point/range: 20 - 22 °C (68 - 72 °F) - lit.

point

f) Initial boiling point and 160 - 161 °C (320 - 322 °F) - lit.

boiling range

g) Flash point 68 °C (154 °F) - closed cup

Sigma-Aldrich - 105899 Page 5 of 9

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 12.25 %(V) flammability or Lower explosion limit: 1.25 %(V)

explosive limits

k) Vapour pressure 1.31 hPa (0.98 mmHg) at 25 °C (77 °F)

I) Vapour density 4.01

m) Relative density 0.948 g/cm3 at 25 °C (77 °F)

n) Water solubility No data available

o) Partition coefficient: n-

octanol/water

log Pow: 1.25 at 25 °C (77 °F)

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Relative vapour density 4.01

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year. Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1,400 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Other changes. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

LD50 Dermal - Rabbit - > 1,000 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation

Sigma-Aldrich - 105899 Page 6 of 9

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Human leukocyte

Cytogenetic analysis

Mammal lymphocyte DNA damage

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Reproductive toxicity - Rat - Subcutaneous

Paternal Effects: Spermatogenesis (including genetic material, sperm morphology,motility, and count). Paternal Effects: Testes, epididymis, sperm duct. Paternal Effects: Prostate, seminal vessicle, Cowper's gland, accessory glands.

Reproductive toxicity - Gerbil - Subcutaneous

Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count). Paternal Effects: Testes, epididymis, sperm duct. Paternal Effects: Prostate, seminal vessicle, Cowper's gland, accessory glands.

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: GV7875000

prolonged or repeated exposure can cause:, Headache, Nausea, Tremors, Incoordination., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 705 mg/l - 96 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - > 500 mg/l - 48 h

other aquatic

Sigma-Aldrich - 105899 Page 7 of 9

invertebrates

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 29.2 mg/l - 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (Cyclohexanol)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Cyclohexanol 108-93-0 1993-04-24

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date Cyclohexanol 108-93-0 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date

Sigma-Aldrich - 105899 Page 8 of 9

Cyclohexanol 108-93-0 1993-04-24

New Jersey Right To Know Components

CAS-No. Revision Date Cyclohexanol 108-93-0 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids
H227 Combustible liquid.
H302 Harmful if swallowed.

H302 + H312 + Harmful if swallowed, in contact with skin or if inhaled

H332

H312 Harmful in contact with skin.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9 Revision Date: 02/27/2015 Print Date: 05/26/2015

Sigma-Aldrich - 105899 Page 9 of 9