# **SAFETY DATA SHEET**

Version 3.15 Revision Date 11/12/2014 Print Date 05/13/2015

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Formic acid

Product Number : 399388
Brand : Sigma-Aldrich
Index-No. : 607-001-00-0

CAS-No. : 64-18-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H402 Harmful to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

Sigma-Aldrich - 399388

P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. Wear protective gloves/ protective clothing/ eve protection/ face P280 protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Store in a well-ventilated place. Keep cool. P403 + P235 P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2 Mixtures

Formula : CH<sub>2</sub>O<sub>2</sub> Molecular weight : 46.03 g/mol

Hazardous components

Component		Classification	Concentration
Formic acid			
CAS-No. EC-No. Index-No.	64-18-6 200-579-1 607-001-00-0	Flam. Liq. 3; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 3; H226, H314, H402	>= 70 - < 90 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

110 data avallable

Sigma-Aldrich - 399388 Page 2 of 9

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Carbon oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Formic acid	64-18-6	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Upper Respiratory Tract irritation Eye irritation Skin irritation		
		STEL	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation		

Sigma-Aldrich - 399388 Page 3 of 9

Eye irritation Skin irritation			
TWA	5 ppm 9 mg/m3	USA. NIOSH Recommended Exposure Limits	
TWA	5 ppm 9 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
The value in mg/m3 is approximate.			
TWA	5 ppm 9 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 480 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Sigma-Aldrich - 399388 Page 4 of 9

Colour: colourless

b) Odourc) Odour Thresholddata availableNo data available

d) pH 2.2 at 2.2 g/l at 20 °C (68 °F)

e) Melting point/freezing

point

No data available

f) Initial boiling point and

boiling range

100 °C (212 °F)

g) Flash point 48 °C (118 °F)
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

j) Upper/lower flammability or explosive limits Upper explosion limit: 57 %(V) Lower explosion limit: 18 %(V)

k) Vapour pressure
 l) Vapour density
 m) Relative density
 n) Water solubility
 No data available
 No data available
 completely miscible

o) Partition coefficient: noctanol/water log Pow: -0.54

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

# **10. STABILITY AND REACTIVITY**

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions. Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Powdered metals

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

Sigma-Aldrich - 399388 Page 5 of 9

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 730 mg/kg (Formic acid)

(OECD Test Guideline 401)

LC50 Inhalation - Rat - 4 h - 7.4 mg/l (Formic acid)

Dermal: No data available (Formic acid)

No data available (Formic acid)

# Skin corrosion/irritation

Skin - Rabbit (Formic acid) Result: Severe skin irritation

(Draize Test)

# Serious eye damage/eye irritation

Eyes - Rabbit (Formic acid) Result: Severe eye irritation

# Respiratory or skin sensitisation

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals. (Formic acid)

# Germ cell mutagenicity

No data available (Formic acid)

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available (Formic acid)

No data available (Formic acid)

# Specific target organ toxicity - single exposure

No data available (Formic acid)

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available (Formic acid)

#### **Additional Information**

RTECS: LQ4900000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting (Formic acid)

Kidney - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence (Formic acid)

Sigma-Aldrich - 399388 Page 6 of 9

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 46 - 100 mg/l - 96 h (Formic acid)

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 34.2 mg/l - 48 h (Formic acid)

other aquatic invertebrates

Toxicity to bacteria - Pseudomonas putida - 46.7 mg/l - 17 h (Formic acid)

# 12.2 Persistence and degradability

Biodegradability Result: > 90 % - Readily biodegradable.

Biochemical Oxygen

86 mg/g (Formic acid)

Demand (BOD)

Chemical Oxygen 348 mg/g (Formic acid)

Demand (COD)

Ratio BOD/ThBOD 8.60 % (Formic acid)

# 12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

# 12.4 Mobility in soil

No data available (Formic acid)

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

Additional ecological

information

No data available

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

# **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1779 Class: 8 (3) Packing group: II

Proper shipping name: Formic acid

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1779 Class: 8 (3) Packing group: II EMS-No: F-E, S-C

Proper shipping name: FORMIC ACID

**IATA** 

UN number: 1779 Class: 8 (3) Packing group: II

Proper shipping name: Formic acid

Sigma-Aldrich - 399388 Page 7 of 9

# 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. 64-18-6 Revision Date 2007-07-01

Formic acid

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

CAS-No. Revision Date Formic acid 64-18-6 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Formic acid 64-18-6 2007-07-01

Water 7732-18-5

**New Jersey Right To Know Components** 

CAS-No. Revision Date

Formic acid 64-18-6 2007-07-01

Water 7732-18-5

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# 16. OTHER INFORMATION

# Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Eye Dam. Serious eye damage
Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H402 Harmful to aquatic life.

Skin Corr. Skin corrosion

**HMIS Rating** 

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 2
Physical Hazard 0

**NFPA** Rating

Health hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0

# **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 399388 Page 8 of 9

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.15 Revision Date: 11/12/2014 Print Date: 05/13/2015

Sigma-Aldrich - 399388 Page 9 of 9