SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 3.9 Revision Date 02/28/2015 Print Date 08/20/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Nickel(II) nitrate hexahydrate
	Product Number Brand	:	72252 Sigma-Aldrich
	CAS-No.	:	13478-00-7
1.2	Relevant identified uses of	of th	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of	the	safety data sheet
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Respiratory sensitisation (Category 1), H334 Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1A), H350 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - repeated exposure, Inhalation (Category 1), H372 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Hazard statement(s) H272 H302 + H332 H315 Sigma-Aldrich - 72252

May intensify fire; oxidiser. Harmful if swallowed or if inhaled Causes skin irritation.

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure if
1072	inhaled.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and
1 202	understood.
P210	Keep away from heat.
P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
F 280	protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you
10011101211000	feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Call a POISON CENTER or doctor/ physician if you feel
	unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER or doctor/ physician.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
F370 + F376	extinguish.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
1.001	

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Substances Formula	:	N ₂ NiO ₆ · 6H ₂ O
	Molecular weight CAS-No.	:	290.79 g/mol 13478-00-7
	EC-No.	:	236-068-5

Hazardous components

Component	Classification	Concentration
Nickel dinitrate hexahydrate		
	Ox. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT	<= 100 %

RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H302 + H332, H315, H317, H318, H334, H341, H350, H360, H372, H410	+ 18,
---	----------

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Nickel/nickel oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Keep away from heat and sources of ignition.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

Storage class (TRGS 510): Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

		•		Desia
Component	CAS-No.	Value	Control	Basis
			parameters	
Nickel dinitrate	13478-00-7	TWA	1.000000	USA. Occupational Exposure Limits
hexahydrate	10110 001		mg/m3	(OSHA) - Table Z-1 Limits for Air
nexanyurate			mg/m3	
				Contaminants
		TWA	1.000000	USA. Occupational Exposure Limits
			mg/m3	(OSHA) - Table Z-1 Limits for Air
				Contaminants
		T 1 A / A	0.400000	
		TWA	0.100000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
	Remarks	Lung damag	е	
		Nasal cance	r	
		Not classifial	ble as a human ca	rcinogen
		varies		
		TWA	0.015000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		Potential Oc	cupational Carcino	gen
		See Append	ix A	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: dark green
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 56 °C (133 °F) - lit.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	2.05 g/cm3 at 25 °C (77 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available

- r) Viscosity
- No data available
- s) Explosive properties No data available
 - Oxidizing properties The substance or mixture is classified as oxidizing with the category 2.
- 9.2 Other safety information No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

t)

No data available

10.2 Chemical stability Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Organic materials, Powdered metals, Strong reducing agents, acids

10.6 Hazardous decomposition products Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1,620 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity

Human carcinogen.

- IARC: 1 Group 1: Carcinogenic to humans (Nickel dinitrate hexahydrate)
 - 1 Group 1: Carcinogenic to humans (Nickel dinitrate hexahydrate)
 - 2A Group 2A: Probably carcinogenic to humans (Nickel dinitrate hexahydrate)
- IARC: 1 Group 1: Carcinogenic to humans (Nickel dinitrate hexahydrate)
 - 1 Group 1: Carcinogenic to humans (Nickel dinitrate hexahydrate)

- 2A Group 2A: Probably carcinogenic to humans (Nickel dinitrate hexahydrate)
- NTP: Known to be human carcinogen (Nickel dinitrate hexahydrate)
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Presumed human reproductive toxicant

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: QR7300000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2725 Class: 5.1

Proper shipping name: Nickel nitrate Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 2725	Class: 5.1	Packing group: III	EMS-No: F-A, S-Q
Proper shipping name	e: NICKEL NITRATE		
Marine pollutant:yes			
ΙΑΤΑ			
UN number: 2725	Class: 5.1	Packing group: III	
Proper shipping name	e: Nickel nitrate		

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels establish	hed by SARA Title III,	, Section 313:
	CAS-No.	Revision Date
Nickel dinitrate hexahydrate	13478-00-7	1993-04-24
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Nickel dinitrate hexahydrate	13478-00-7	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Nickel dinitrate hexahydrate	13478-00-7	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Nickel dinitrate hexahydrate	13478-00-7	1993-04-24
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer. Nickel dinitrate hexahydrate	13478-00-7	2004-05-07

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic AcuteAcute aquatic toxicityAquatic ChronicChronic aquatic toxicityCarc.CarcinogenicityEye Dam.Serious eye damageH272May intensify fire; oxidiser.H302Harmful if swallowed.H302 + H332Harmful if swallowed or if inhaledH315Causes skin irritation.H317May cause an allergic skin reaction.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.H372Causes damage to organs through prolonged or repeated exposure if inhaled.	Acute Tox.	Acute toxicity
Carc.CarcinogenicityEye Dam.Serious eye damageH272May intensify fire; oxidiser.H302Harmful if swallowed.H302 + H332Harmful if swallowed or if inhaledH315Causes skin irritation.H317May cause an allergic skin reaction.H38Causes serious eye damage.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	Aquatic Acute	Acute aquatic toxicity
Eye Dam.Serious eye damageH272May intensify fire; oxidiser.H302Harmful if swallowed.H302 + H332Harmful if swallowed or if inhaledH315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	Aquatic Chronic	Chronic aquatic toxicity
H272May intensify fire; oxidiser.H302Harmful if swallowed.H302 + H332Harmful if swallowed or if inhaledH315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	Carc.	Carcinogenicity
H302Harmful if swallowed.H302 + H332Harmful if swallowed or if inhaledH315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	Eye Dam.	Serious eye damage
H302 + H332Harmful if swallowed or if inhaledH315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	H272	May intensify fire; oxidiser.
H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	H302	Harmful if swallowed.
H317May cause an allergic skin reaction.H318Causes serious eye damage.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	H302 + H332	Harmful if swallowed or if inhaled
H318Causes serious eye damage.H332Harmful if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	H315	Causes skin irritation.
 H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H341 Suspected of causing genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child. 	H317	May cause an allergic skin reaction.
H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	H318	Causes serious eye damage.
H341Suspected of causing genetic defects.H350May cause cancer.H360May damage fertility or the unborn child.	H332	Harmful if inhaled.
H350May cause cancer.H360May damage fertility or the unborn child.	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H360 May damage fertility or the unborn child.	H341	Suspected of causing genetic defects.
	H350	May cause cancer.
H372 Causes damage to organs through prolonged or repeated exposure if inhaled.	H360	May damage fertility or the unborn child.
	H372	Causes damage to organs through prolonged or repeated exposure if inhaled.

HMIS Rating	
Health hazard:	2
Chronic Health Hazard:	*
Flammability:	0
Physical Hazard	1
NFPA Rating	
NFPA Rating Health hazard:	2
-	2 0
Health hazard:	_

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.9

Revision Date: 02/28/2015

Print Date: 08/20/2015