# **Material Safety Data Sheet**

Version 4.4 Revision Date 04/25/2012 Print Date 12/07/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name 3-Methyl-1-butanol

**Product Number** 320021 Brand Sigma-Aldrich

Supplier Sigma-Aldrich

> 3050 Spruce Street SAINT LOUIS MO 63103

USA

+1 800-325-5832 Telephone Fax +1 800-325-5052 Emergency Phone # (For (314) 776-6555

both supplier and

manufacturer)

**Preparation Information** Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

#### 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

## **OSHA Hazards**

Combustible Liquid, Target Organ Effect, Irritant

#### **Target Organs**

Central nervous system

#### **GHS Classification**

Flammable liquids (Category 3) Acute toxicity, Inhalation (Category 4) Acute toxicity, Dermal (Category 5) Skin irritation (Category 2)

Eye irritation (Category 2A)

## GHS Label elements, including precautionary statements

Signal word Warning

Hazard statement(s)

Pictogram

H226 Flammable liquid and vapour. H313 May be harmful in contact with skin.

Causes skin irritation. H315

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

**HMIS Classification** 

Health hazard: 2 **Chronic Health Hazard:** 

Flammability: 2 Physical hazards: 0

**NFPA** Rating

Health hazard: 2 Fire: 2 Reactivity Hazard: 0

#### **Potential Health Effects**

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.Skin May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

**Ingestion** May be harmful if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Isoamyl alcohol

Isopentyl alcohol

Formula : C<sub>5</sub>H<sub>12</sub>O Molecular Weight : 88.15 g/mol

Component		Concentration
3-Methylbutan-1-ol		
CAS-No.	123-51-3	-
EC-No.	204-633-5	
Index-No.	603-006-00-7	

#### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIREFIGHTING MEASURES

## Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

## Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

## **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

#### **Further information**

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

Sigma-Aldrich - 320021 Page 2 of 7

## **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

## **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### Conditions for safe storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
3-Methylbutan-1- ol	123-51-3	TWA	100 ppm	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	Eye & Upper Respiratory Tract irritation					
		STEL	125 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Eye & Upper Respiratory Tract irritation					
		TWA	100 ppm 360 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate.					
		TWA	100 ppm 360 mg/m3	USA. NIOSH Recommended Exposure Limits		
		ST	125 ppm 450 mg/m3	USA. NIOSH Recommended Exposure Limits		

#### Personal protective equipment

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective

Sigma-Aldrich - 320021 Page 3 of 7

equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Appearance**

Form liquid, clear Colour colourless

## Safety data

pH 5.6 at 25 g/l at 20 °C (68 °F)

Melting

Melting point/range: -117 °C (-179 °F)

point/freezing point

Boiling point 130 °C (266 °F)

Flash point 43 °C (109 °F) - closed cup

Ignition temperature 340 °C (644 °F)
Autoignition no data available

temperature

Lower explosion limit 1.2 %(V) Upper explosion limit 9 %(V)

Vapour pressure 3 hPa (2 mmHg) at 20 °C (68 °F)

23.6 hPa (17.7 mmHg) at 50 °C (122 °F)

Density 0.809 g/mL at 25 °C (77 °F)

Water solubility soluble

Partition coefficient: log Pow: 1.28

n-octanol/water

Relative vapour 3.04

density - (Air = 1.0)

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

## 10. STABILITY AND REACTIVITY

#### Chemical stability

Stable under recommended storage conditions.

## Possibility of hazardous reactions

no data available

## Conditions to avoid

Heat, flames and sparks.

#### Materials to avoid

Strong oxidizing agents, Acid chlorides, Acid anhydrides, Reducing agents

### **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

#### 11. TOXICOLOGICAL INFORMATION

Sigma-Aldrich - 320021 Page 4 of 7

#### **Acute toxicity**

#### Oral LD50

LD50 Oral - rat - > 5,000 mg/kg

#### Inhalation LC50

LC50 Inhalation - rat - male and female - 6 h - > 14 mg/l

#### **Dermal LD50**

LD50 Dermal - rabbit - > 3,000 mg/kg

#### Other information on acute toxicity

no data available

#### Skin corrosion/irritation

Skin - rabbit - Skin irritation

## Serious eye damage/eye irritation

Eyes - rabbit - Eye irritation

#### Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

#### **Teratogenicity**

no data available

#### Specific target organ toxicity - single exposure (Globally Harmonized System)

May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

# Aspiration hazard

no data available

## Potential health effects

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** May be harmful if swallowed.

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

## Signs and Symptoms of Exposure

prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Synergistic effects

Sigma-Aldrich - 320021 Page 5 of 7

no data available

# Additional Information

RTECS: EL5425000

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Toxicity to daphnia

EC50 - Daphnia magna (Water flea) - 260 mg/l - 48 h

and other aquatic invertebrates

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 490 mg/l - 72 h

Persistence and degradability

Biodegradability Result: > 70 % - Readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

### 13. DISPOSAL CONSIDERATIONS

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1105 Class: 3 Packing group: III

Proper shipping name: Pentanols

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1105 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: PENTANOLS

Marine pollutant: No

**IATA** 

UN number: 1105 Class: 3 Packing group: III

Proper shipping name: Pentanols

## 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Combustible Liquid, Target Organ Effect, Irritant

## **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Sigma-Aldrich - 320021 Page 6 of 7

## **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	<b>Revision Date</b>
3-Methylbutan-1-ol	123-51-3	2007-03-01
Pennsylvania Right To Know Components		
·	CAS-No.	<b>Revision Date</b>
3-Methylbutan-1-ol	123-51-3	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	<b>Revision Date</b>
3-Methylbutan-1-ol	123-51-3	2007-03-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 320021 Page 7 of 7