



## Material Safety Data Sheet

Propargyltrimethylsilane, stabilized

MSDS# 92573

### Section 1 - Chemical Product and Company Identification

MSDS Name: Propargyltrimethylsilane, stabilized

Catalog Numbers: AC366630000, AC366630010, AC366632500

Synonyms: None known.

Company Identification:

Acros Organics BVBA  
Janssen Pharmaceuticaaan 3a  
2440 Geel, Belgium

Company Identification: (USA)

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

For information in the US, call:

800-ACROS-01

For information in Europe, call:

+32 14 57 52 11

Emergency Number, Europe:

+32 14 57 52 99

Emergency Number US:

201-796-7100

CHEMTREC Phone Number, US:

800-424-9300

CHEMTREC Phone Number, Europe:

703-527-3887

### Section 2 - Composition, Information on Ingredients

-----  
CAS#: 13361-64-3  
Chemical Name: Propargyltrimethylsilane, stabilized  
%: 90+  
EINECS#: 236-427-6  
-----

Hazard Symbols:

XI F



Risk Phrases:

11 36/37/38

### Section 3 - Hazards Identification

#### EMERGENCY OVERVIEW

Danger! Flammable liquid and vapor. Causes eye, skin, and respiratory tract irritation. Target Organs: Respiratory system, eyes, skin.

#### Potential Health Effects

Eye: Causes eye irritation.

Skin: Causes skin irritation. May be harmful if absorbed through the skin.

Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed.

Inhalation: Causes respiratory tract irritation. May be harmful if inhaled.

Chronic: No information found.

### Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin:	Get medical aid. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Ingestion:	Do not induce vomiting. Get medical aid.
Inhalation:	Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.
Notes to Physician:	Treat symptomatically and supportively.

#### Section 5 - Fire Fighting Measures

General Information:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back. Will burn if involved in a fire. Containers may explode in the heat of a fire. Flammable liquid and vapor.
Extinguishing Media:	Use water spray to cool fire-exposed containers. Use water spray, dry chemical, carbon dioxide, or chemical foam.
Autoignition Temperature:	Not applicable.
Flash Point:	-10 deg C ( 14.00 deg F)
Explosion Limits: Lower:	Not available
Explosion Limits: Upper:	Not available
NFPA Rating:	health: 2; flammability: 3; instability: 0;

#### Section 6 - Accidental Release Measures

General Information:	Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks:	Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Use a spark-proof tool. Do not let this chemical enter the environment.

#### Section 7 - Handling and Storage

Handling:	Use spark-proof tools and explosion proof equipment. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Keep away from heat, sparks and flame. Do not ingest or inhale. Use only in a chemical fume hood.
Storage:	Keep away from sources of ignition. Store in a tightly closed container. Store in a dry area. Flammables-area. Deep freeze (below -20°C).

#### Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Propargyltrimethylsilane, stabilized	none listed	none listed	none listed

OSHA Vacated PELs: Propargyltrimethylsilane, stabilized: None listed

#### Engineering Controls:

Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use only under a chemical fume hood.

#### Exposure Limits

#### Personal Protective Equipment

Eyes:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin:	Wear appropriate protective gloves to prevent skin exposure.
Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Respirators:	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or

European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

## Section 9 - Physical and Chemical Properties

Physical State: Liquid

Color: clear yellow

Odor: Not available

pH: Not available

Vapor Pressure: Not available

Vapor Density: Not available

Evaporation Rate: Not available

Viscosity: Not available

Boiling Point: 91 - 93 deg C @ 760 mmHg

Freezing/Melting Point: Not available

Decomposition Temperature: Not available

Solubility in water: Not available.

Specific Gravity/Density: 0.750

Molecular Formula: C<sub>6</sub>H<sub>12</sub>Si

Molecular Weight: 112.25

## Section 10 - Stability and Reactivity

Chemical Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	Incompatible materials, ignition sources, excess heat.
Incompatibilities with Other Materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide, silicon dioxide.
Hazardous Polymerization	Has not been reported.

## Section 11 - Toxicological Information

RTECS#: CAS# 13361-64-3: None listed

LD50/LC50: RTECS: Not available.

Carcinogenicity: Propargyltrimethylsilane, stabilized - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Other: The toxicological properties have not been fully investigated.

## Section 12 - Ecological Information

Other: Do not empty into drains.

## Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

## Section 14 - Transport Information

US DOT

Shipping Name: FLAMMABLE LIQUID, N.O.S.

Hazard Class: 3

UN Number: UN1993

Packing Group: II

Canada TDG

Shipping Name: Not available

Hazard Class:

UN Number:

Packing Group:

## Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XI F

Risk Phrases:

R 11 Highly flammable.

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 16 Keep away from sources of ignition - No smoking.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 13361-64-3: Not available

Canada

CAS# 13361-64-3 is listed on Canada's NDSL List

Canadian WHMIS Classifications: B2, D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 13361-64-3 is not listed on Canada's Ingredient Disclosure List.

US Federal

TSCA

CAS# 13361-64-3 is listed on the TSCA  
Inventory.

Section 16 - Other Information

MSDS Creation Date: 12/03/2002

Revision #5 Date 7/20/2009

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

-----